

PHYSICS

1. For transistor action, which of the following statements is correct?

- (a) Both emitter junction as well as the collector junction are forward biased.
- (b) The base region must be very thin and lightly doped.
- (c) Base, emitter and collector regions should have same doping concentrations.
- (d) Base, emitter and collector regions should have same size.

2. A spherical conductor of radius 10 cm has a charge of 3.2×10^{-7} C distributed uniformly. What is the magnitude of electric field at a point 15 cm from the center of the sphere?

$$\left(\frac{1}{4\pi \epsilon_0} = 9 \times 10^9 \text{ Nm}^2/\text{C}^2 \right)$$

- (a) $1.28 \times 10^6 \text{ N/C}$
- (b) $1.28 \times 10^7 \text{ N/C}$
- (c) $1.28 \times 10^4 \text{ N/C}$
- (d) $1.28 \times 10^5 \text{ N/C}$

3. Assume that light of wavelength 600 nm is coming from a star. The limit of resolution of telescope whose objective has a diameter of 2 m is .

- (a) $7.32 \times 10^{-7} \text{ rad}$
- (b) $6.00 \times 10^{-7} \text{ rad}$
- (c) $3.66 \times 10^{-7} \text{ rad}$
- (d) $1.83 \times 10^{-7} \text{ rad}$


4. Dimensions of stress are:

- (a) $[\text{ML}^0\text{T}^{-2}]$
- (b) $[\text{ML}^{-1}\text{T}^{-2}]$
- (c) $[\text{MLT}^{-2}]$
- (d) $[\text{ML}^2\text{T}^{-2}]$

5. A screw gauge has least count of 0.01 mm and there are 50 divisions in its circular scale. The pitch of the screw gauge is _____.

- (a) 0.5 mm
- (b) 1.0 mm
- (c) 0.01mm
- (d) 0.25mm

6. Two bodies of mass 4 kg and 6 kg are tied to the ends of a massless string. The string passes over a pulley which is frictionless (see figure). The acceleration of the system in terms of acceleration due to gravity (g) is _____.



- (a) $g/5$
- (b) $g/10$
- (c) g
- (d) $g/2$

7. An electron is accelerated from rest through a potential difference of V volt. If the de Broglie

wavelength of the electron is 1.227×10^{-2} nm, the potential difference is :

- (a) 103V
- (b) 104V
- (c) 10 V
- (d) 102 V

8. In a certain region of space with volume 0.2 m^3 , the electric potential is found to be 5 V throughout. The magnitude of electric field in this region is :

- (a) 1 N/C
- (b) 5 N/C
- (c) zero
- (d) 0.5

9. A cylinder contains hydrogen gas at pressure of 249 kPa and temperature 27°C .

Its density is : ($R = 8.3 \text{ J mol}^{-1} \text{ K}^{-1}$)

- (a) 0.1 kg/m^3

- (b) 0.02 kg/m^3
(c) 0.5 kg/m^3
(d) 0.2 kg/m^3


10. The mean free path for a gas, with molecular diameter d and number density n can be expressed as :

- (a) $\frac{1}{\sqrt{2}n^2\pi d^2}$
(b) $\frac{1}{\sqrt{2}n^2\pi^2 d^2}$
(c) $\frac{1}{\sqrt{2}n\pi d}$
(d) $\frac{1}{\sqrt{2}n\pi d^2}$

11. A ball is thrown vertically downward with a velocity of 20 m/s from the top of a tower. It hits the ground after some time with a velocity of 80 m/s . The height of the tower is: ($g = 10 \text{ m/s}^2$)

- (a) 320m (b) 300m
(c) 360 m (d) 340 m

12. For the logic circuit shown, the truth table is:



- (a)

A	B	Y
0	0	1
0	1	1
1	0	1
1	1	0

 (b)

A	B	Y
0	0	1
0	1	0
1	0	0
1	1	0
- (c)

A	B	Y
0	0	0
0	1	0
1	0	0
1	1	1

 (d)

A	B	Y
0	0	0
0	1	1
1	0	1
1	1	1

13. A short electric dipole has a dipole moment of $16 \times 10^{-9} \text{ C m}$. The electric potential due to the

dipole at a point at a distance of 0.6 m from the center of the dipole, situated on a line making an angle of 60° with the dipole axis is :

$$\left(\frac{1}{4\pi\epsilon_0} = 9 \times 10^9 \text{ Nm}^2 / \text{C}^2 \right)$$

- (a) 400V (b) Zero
(c) 50V (d) 200V


14. A capillary tube of radius r is immersed in water and water rises in it to a height h . The mass


of the water in the capillary is 5 g . Another capillary tube of radius $2r$ is immersed in water. The mass of water that will rise in this tube is :

- (a) 10.0g (b) 20.0g
(c) 2.5 g (d) 5.0 g

15. Which of the following graph represents the variation of resistivity (ρ) with temperature (T)

for copper?





16. The ratio of contributions made by the electric field and magnetic field components to the intensity of an electromagnetic wave is : (c = speed of electromagnetic waves)

- (a) $1 : c$ (b) $1 : c^2$
(c) $c : 1$ (d) $1 : 1$

17. A long solenoid of 50 cm length having 100 turns carries a current of 2.5 A. The magnetic field at the center of the solenoid is : ($\mu_0 = 4\pi \times 10^{-7} \text{ TmA}^{-1}$)

- (a) $6.28 \times 10^{-5} \text{ T}$ (b) $3.14 \times 10^{-5} \text{ T}$
(c) $6.28 \times 10^{-4} \text{ T}$ (d) $3.14 \times 10^{-4} \text{ T}$

18. For which one of the following, Bohr model is not valid?

- (a) Deuteron atom
(b) Singly ionised neon atom (Ne^+)
(c) Hydrogen atom
(d) Singly ionised helium atom (He^+)

19. The energy equivalent of 0.5 g of a substance is :

- (a) $1.5 \times 10^{13} \text{ J}$
(b) $0.5 \times 10^{13} \text{ J}$
(c) $4.5 \times 10^{16} \text{ J}$
(d) $4.5 \times 10^{13} \text{ J}$

20. Taking into account of the significant figures, what is the value of $9.99 \text{ m} - 0.0099 \text{ m}$?

- (a) 9.980 m (b) 9.9 m
(c) 9.9801 m (d) 9.98 m

21. In a guitar, two strings A and B made of same material are slightly out of tune and produce

beats of frequency 6 Hz. When tension in B is slightly decreased, the beat frequency increases to 7 Hz. If the frequency of A is 530 Hz, the original frequency of B will be:

- (a) 536 Hz (b) 537 Hz
(c) 523 Hz (d) 524 Hz

22. A series LCR circuit is connected to an ac voltage source. When L is removed from the

circuit, the phase difference between current and voltage is $\frac{\pi}{3}$. If instead C is removed from the circuit, the

phase difference is again $\frac{3}{\pi}$ between current and voltage. The power factor of the circuit is:

- (a) 1.0 (b) -1.0
(c) Zero (d) 0.5

23. The quantities of heat required to raise the temperature of two solid copper spheres of radii

r_1 and r_2 ($r_1 = 1.5 r_2$) through 1 K are in the ratio:

- (a) $\frac{3}{2}$ (b) $\frac{5}{3}$
(c) $\frac{27}{8}$ (d) $\frac{9}{4}$

24. The Brewster's angle i_b for an interface should be.

- (a) $45^\circ < i_b < 90^\circ$
(b) $i_b = 90^\circ$
(c) $0^\circ < i_b < 30^\circ$
(d) $30^\circ < i_b < 45^\circ$

25. Two cylinders A and B of equal capacity are connected to each other via a stop cock A

contains an ideal gas at standard temperature and pressure. B is completely evacuated. The entire system is thermally insulated. The stop cock is suddenly opened. The process is :

- (a) isochoric
- (b) isobaric
- (c) isothermal
- (d) adiabatic

26. An iron rod of susceptibility 599 is subjected to a magnetizing field of 1200 Am^{-1} . The permeability of the material of the rod is.

$$(\mu_0 = 4\pi \times 10^{-7} \text{ Tm A}^{-1})$$

- (a) $2.4 \pi \times 10^{-5} \text{ Tm A}^{-1}$
- (b) $2.4 \pi \times 10^{-7} \text{ Tm A}^{-1}$
- (c) $2.4 \pi \times 10^{-4} \text{ Tm A}^{-1}$
- (d) $8.0 \times 10^5 \text{ Tm A}^{-1}$

27. The capacitance of a parallel plate capacitor with air as medium is $6 \mu \text{ F}$. With the introduction of a dielectric medium, the capacitance becomes $30 \mu \text{ F}$. The permittivity of the medium is:

$$(\epsilon_0 = 8.85 \times 10^{-12} \text{ C}^2 \text{ N}^{-1} \text{ m}^{-2})$$

- (a) $0.44 \times 10^{-10} \text{ C}^2 \text{ N}^{-1} \text{ m}^{-2}$
- (b) $5.00 \text{ C}^2 \text{ N}^{-1} \text{ m}^{-2}$
- (c) $0.44 \times 10^{-13} \text{ C}^2 \text{ N}^{-1} \text{ m}^{-2}$
- (d) $1.77 \times 10^{-12} \text{ C}^2 \text{ N}^{-1} \text{ m}^{-2}$

28. A charged particle having drift velocity of $7.5 \times 10^{-4} \text{ m s}^{-1}$ in an electric field of $3 \times 10^{10} \text{ Vm}^{-1}$,

has a mobility in $\text{m}^2 \text{ V}^{-1} \text{ s}^{-1}$ of:

- (a) 2.5×10^{-6}
- (b) 2.25×10^{-15}
- (c) 2.25×10^{15}
- (d) 2.5×10^6

29. The color code of a resistance is given below



The values of resistance and tolerance, respectively, are

- (a) $4.7 \text{ k } \Omega$, 5%
- (b) 470Ω , 5%
- (c) $470 \text{ k } \Omega$, 5%
- (d) $47 \text{ k } \Omega$, 10%

30. The solids which have the negative temperature coefficient of resistance are;

- (a) semiconductors only
- (b) insulators and semiconductors
- (c) metals
- (d) insulators only

31. A body weighs 72 N on the surface of the earth. What is the gravitational force on it,

at a height equal to half the radius of the earth?

- (a) 50 N
- (b) 24 N
- (c) 48 N
- (d) 32 N

32. A $40 \mu \text{ F}$ capacitor is connected to a 200 V , 50 Hz ac supply. The rms value of the current in the circuit is, nearly:

- (a) 2.5 A
- (b) 25.1 A
- (c) 1.7 A
- (d) 2.05 A

33. The phase difference between displacement and acceleration of a particle in a simple harmonic motion is :

- (a) $\frac{\pi}{2}$ rad (b) zero
(c) π rad (d) $\frac{3\pi}{2}$ rad

34. The average thermal energy for a mono-atomic gas is : (k_B is Boltzmann constant and T , absolute temperature)

- (a) $\frac{5}{2} k_B T$ (b) $\frac{7}{2} k_B T$
(c) $\frac{1}{2} k_B T$ (d) $\frac{3}{2} k_B T$

35. Light of frequency 1.5 times the threshold frequency is incident on a photosensitive material.

What will be the photoelectric current if the frequency is halved and intensity is doubled?

- (a) one-fourth (b) zero
(c) doubled (d) four times

36. A wire of length L , area of cross section A is hanging from a fixed support. The length of the

wire changes to L_1 when mass M is suspended from its free end. The expression for Young's modulus is .

- (a) $\frac{MgL}{AL_1}$ (b) $\frac{MgL}{A(L_1 - L)}$
(c) $\frac{MgL}{AL}$ (d) $\frac{Mg(L_1 - L)}{AL}$

37. A ray is incident at an angle of incidence i on one surface of a small angle prism (with angle of

prism A) and emerges normally from the opposite surface. If the refractive index of the material of the prism is μ , then the angle of incidence is nearly equal to :

- (a) μA (b) $\frac{\mu A}{2}$
(c) $\frac{A}{2\mu}$ (d) $\frac{2A}{\mu}$

38. Find the torque about the origin when a force of $3\hat{j}N$ acts on a particle whose position vector is $2\hat{k}m$.

- (a) $-6\hat{i}Nm$ (b) $6\hat{k}Nm$
(c) $6\hat{i}Nm$ (d) $6\hat{j}Nm$

39. In Young's double slit experiment, if the separation between coherent sources is halved and

the distance of the screen from the coherent sources is doubled, then the fringe width becomes:

- (a) four times
(b) one-fourth
(c) double
(d) half

40. The energy required to break one bond in DNA is $10^{-20} J$. This value in eV is nearly:

- (a) 0.06 (b) 0.006
(c) 6 (d) 0.6

41. When a uranium isotope ${}_{92}^{235}U$ is bombarded with a neutron, it generates ${}_{36}^{89}Kr$, three neutrons and:

- (a) ${}_{36}^{101}Kr$ (b) ${}_{36}^{103}Kr$
(c) ${}_{56}^{144}Ba$ (d) ${}_{40}^{91}Zr$

42. Two particles of mass 5 kg and 10 kg respectively are attached to the two ends of a rigid rod

of length 1 m with negligible mass. The center of mass of the system from the 5 kg particle is nearly at a distance of:

- (a) 67 cm (b) 80 cm
(c) 33 cm (d) 50 cm

43. Light with an average flux of 20 W/cm^2 falls on a non-reflecting surface at normal incidence

having surface area 20 cm^2 . The energy received by the surface during time span of 1 minute is :

- (a) $24 \times 10^3 \text{ J}$
(b) $48 \times 10^3 \text{ J}$
(c) $10 \times 10^3 \text{ J}$
(d) $12 \times 10^3 \text{ J}$

44. The increase in the width of the depletion region in a p-n junction diode is due to :

- (a) both forward bias and reverse bias
(b) increase in forward current
(c) forward bias only
(d) reverse bias only


45. A resistance wire connected in the left gap of a metre bridge balances a 10Ω resistance in the

right gap at a point which divides the bridge wire in the ratio 3 : 2. If the length of the resistance wire is 1.5 m, then the length of the resistance wire is :

- (a) $1.5 \times 10^{-1} \text{ m}$
(b) $1.5 \times 10^{-2} \text{ m}$
(c) $1.0 \times 10^{-2} \text{ m}$
(d) $1.0 \times 10^{-2} \text{ m}$

CHEMISTRY

46. Identify compound X in the following sequence of reactions



47. Identify a molecule which does not exist.

- (a) C_2 (b) O_2
(c) He_2 (d) Li_2

48. Which of the following is a natural polymer?


- (a) polybutadiene
(b) Poly (Butadiene-acrylonitrile)
(c) cis-1, 4-polyisoprene
(d) poly (Butadiene-styrene)

49. An increase in the concentration of the reactants of a reaction leads to change in.

- (a) threshold energy
(b) collision frequency
(c) activation energy

(d) heat of reaction

50. Anisole on cleavage with HI gives



51. The number of protons, neutrons and electrons in ${}^{175}_{71}\text{Lu}$, respectively, are.

- (a) 71, 71 and 104
(b) 175, 104 and 71
(c) 71, 104 and 71
(d) 104, 71 and 71

52. The calculated spin only magnetic moment of Cr^{2+} ion is.

- (a) 5.92 BM (b) 2.84 BM
(c) 3.87 BM (d) 4.90 BM

53. Match the following:

Oxide Nature

- (a) CO (i) Basic
(b) BaO (ii) Neutral
(c) Al_2O_3 (iii) Acidic
(d) Cl_2O_7 (iv) Amphoteric

Which of the following is correct option?

- (a) (b) (c) (d)
(a) (iii) (iv) (i) (ii)
(b) (iv) (iii) (ii) (i)
(c) (i) (ii) (iii) (iv)
(d) (ii) (i) (iv) (iii)

54. Urea reacts with water to form A which will decompose to form B. B when passed through

Cu^{2+} (aq), deep blue colour solution C is formed. What is the formula of C from the following?

- (a) $\text{Cu}(\text{OH})_2$
(b) $\text{CuCO}_3\text{Cu}(\text{OH})_2$
(c) CuSO_4
(d) $[\text{Cu}(\text{NH}_3)_4]^{2+}$

55. Match the following and identify the correct option.

(a)	$\text{CO}[\text{g}] + \text{H}_2(\text{g})$	(i)	$\text{Mg}(\text{HCO}_3)_2 + \text{Ca}(\text{HCO}_3)_2$
(b)	Temporary	(ii)	An electron deficient hardness of water hydride
(c)	B_2H_6	(iii)	Synthesis gas
(d)	H_2O_2	(iv)	Non-planar structure

(a) (b) (c) (d)

- (a) (iii) (iv) (ii) (i)
(b) (i) (iii) (ii) (iv)
(c) (iii) (i) (ii) (iv)
(d) (iii) (ii) (i) (iv)

56. The mixture which shows positive deviation from Raoult's law is.

- (a) Acetone + Chloroform
(b) Chloroethane + Bromoethane
(c) Ethanol + Acetone

(d) Benzene + Toluene

57. The freezing point depression constant (K_f) of benzene is $5.12 \text{ K kg mol}^{-1}$. The freezing point

depression for the solution of molality 0.078 m containing a non-electrolyte solute in benzene is (rounded off upto two decimal places) :

- (a) 0.40 K (b) 0.60 K
(c) 0.20 K (d) 0.80 K

58. Which of the following set of molecules will have zero dipole moment?

- (a) Nitrogen trifluoride, beryllium difluoride, water, 1,3-dichlorobenzene
(b) Boron trifluoride, beryllium difluoride, carbon dioxide, 1,4-dichlorobenzene
(c) Ammonia, beryllium difluoride, water, 1,4-dichlorobenzene
(d) Boron trifluoride, hydrogen fluoride, carbon dioxide, 1,3-dichlorobenzene

59. A tertiary butyl carbocation is more stable than a secondary butyl carbocation because of which of the following?

- (a) - R effect of CH_3 groups
(b) Hyper conjugation
(c) - I effect of CH_3 groups
(d) + R effect of CH_3 groups

60. Find out the solubility of Ni(OH)_2 in 0.1 M NaOH . Given that the ionic product of Ni(OH)_2 is





2×10^{-15}

- (a) $1 \times 10^{-13} \text{ M}$
(b) $1 \times 10^{-8} \text{ M}$
(c) $2 \times 10^{-13} \text{ M}$
(d) $2 \times 10^{-8} \text{ M}$





61. Reaction between acetone and methyl magnesium chloride followed by hydrolysis will give:

- (a) Tert butyl alcohol
(b) Isobutyl alcohol
(c) Isopropyl alcohol
(d) Sec, butyl alcohol

62. Which of the following amine will give the carbylamine test?

- (a)  (b) 
(c)  (d) 

63. An alkene on ozonolysis gives methanal as one of the product. Its structure is.

- (a)  (b) 
(c)  (d) 

64. A mixture of N_2 and Ar gases in a cylinder contains 7 g of N_2 and 8 g of Ar. If the total pressure of the

mixture of the gases in the cylinder is 27 bar , the partial pressure of N_2 is : [Use atomic masses (in g mol^{-1}) : $\text{N} = 14$, $\text{Ar} = 40$]

- (a) 15 bar (b) 18 bar

(c) 9 bar (d) 12 bar

65. Which of the following is the correct order of increasing field strength of ligands to form coordination compounds?

- (a) $F^- < SCN^- < C_2O_4^{2-} < CN^-$
 (b) $CN^- < C_2O_4^{2-} < SCN^- < F^-$
 (c) $SCN^- < F^- < C_2O_4^{2-} < CN^-$
 (d) $SCN^- < F^- < CN^- < C_2O_4^{2-}$

66. Paper chromatography is an example of.

- (a) Thin layer chromatography
 (b) Column chromatography
 (c) Adsorption chromatography
 (d) Partition chromatography

67. Sucrose on hydrolysis gives.

- (a) α -D-Glucose + β -D-Fructose.
 (b) α -D-Fructose + β -D-Fructose
 (c) β -D-Glucose + α -D-Fructose
 (d) α -D-Glucose + β -D-Glucose

68. The rate constant for a first order reaction is $4.606 \times 10^{-3} \text{ s}^{-1}$. The time required to reduce 2.0

g of the reactant to 0.2 g is:

- (a) 500s (b) 1000 s
 (c) 100s (d) 200s

69. Reaction between benzaldehyde and acetophenone in presence of dilute NaOH is known as.

- (a) Cross Cannizzaro's reaction
 (b) Cross Aldol condensation
 (c) Aldol condensation
 (d) Cannizzaro's reaction

70. Which of the following is not correct about carbon monoxide?

- (a) The carboxyhaemoglobin (haemoglobin bound to CO) is less stable than ox haemoglobin.
 (b) It is produced due to incomplete combustion.
 (c) It forms carboxyhaemoglobin
 (d) It reduces oxygen carrying ability of blood.

71. Hydrolysis of sucrose is given by the following reaction.

Sucrose + $H_2O \rightleftharpoons$ Glucose Fructose If the equilibrium constant (K_c) is 2×10^{13} at 300 K, the value of $\Delta_r G^\theta$ at the same temperature will be:

- (a) $8.314 \text{ J mol}^{-1} \text{ K}^{-1} \times 300 \text{ K} \times \ln(3 \times 10^{13})$
 (b) $-8.314 \text{ J mol}^{-1} \text{ K}^{-1} \times 300 \text{ K} \times \ln(4 \times 10^{13})$
 (c) $-8.314 \text{ J mol}^{-1} \text{ K}^{-1} \times 300 \text{ K} \times \ln(2 \times 10^{13})$
 (d) $8.314 \text{ J mol}^{-1} \text{ K}^{-1} \times 300 \text{ K} \times \ln(2 \times 10^{13})$

72. HCl was passed through a solution of $CaCl_2$, $MgCl_2$ and $NaCl$. Which of the following compound(s) crystallise(s)?

- (a) Only $MgCl_2$
 (b) $NaCl$, $MgCl_2$ and $CaCl_2$
 (c) Both $MgCl_2$ and $CaCl_2$
 (d) Only $NaCl$

73. An element has a body centered cubic (bcc) structure with a cell edge of 288 pm. The atomic radius is.

- (a) $\frac{4}{\sqrt{3}} \times 288 \text{ pm}$ (b) $\frac{4}{\sqrt{2}} \times 288 \text{ pm}$
 (c) $\frac{\sqrt{3}}{4} \times 288 \text{ pm}$ (d) $\frac{\sqrt{2}}{4} \times 288 \text{ pm}$

74. Which of the following oxoacid of sulphur has - o - O - linkage?

- (a) $\text{H}_2\text{S}_2\text{O}_8$, peroxodisulphuric acid
- (b) $\text{H}_2\text{S}_2\text{O}_7$, pyrosulphuric acid
- (c) H_2SO_3 , sulphurous acid
- (d) H_2SO_4 , sulphuric acid

75. Identify the incorrect statement.

- (a) Interstitial compounds are those that are formed when small atoms like H, C or N are trapped inside the crystal lattices of metals.
- (b) The oxidation states of chromium in CrO_4^{2-} and $\text{Cr}_2\text{O}_7^{2-}$ are not the same.
- (c) Cr^{2+} (d^4) is a stronger reducing agent than Fe^{2+} (d^6) in water.
- (d) The transition metals and their compounds are known for their catalytic activity due to their ability to adopt multiple oxidation states and to form complexes.

76. Which of the following is a cationic detergent?

- (a) Cetyl trimethyl ammonium bromide
- (b) Sodium dodecylbenzene sulphonate
- (c) Sodium lauryl sulphate
- (d) Sodium stearate

77. The correct option for free expansion of an ideal gas under adiabatic condition is.

- (a) $q < 0$, $\Delta T = 0$ and $w = 0$
- (b) $q > 0$, $\Delta T > 0$ and $w > 0$
- (c) $q = 0$, $\Delta T = 0$ and $w = 0$
- (d) $q = 0$, $\Delta T < 0$ and $w > 0$

78. On electrolysis of dil. sulphuric acid using Platinum (Pt) electrode, the product obtained at

anode will be.

- (a) H_2S gas
- (b) SO_2 gas
- (c) Hydrogen gas
- (d) Oxygen gas

79. Identify the correct statement from the following:

- (a) Vapour phase refining is carried out for Nickel by Van Arkel method.
- (b) Pig iron can be moulded into a variety of shapes.
- (c) Wrought iron is impure iron with 4% carbon.
- (d) Blister copper has blistered appearance due to evolution of CO_2

80. Which of the following is a basic amino acid ?

- (a) Tyrosine
- (b) Lysine
- (c) Serine
- (d) Alanine

81. Identify the incorrect match.

Name IUPAC

Official Name

- | | |
|-----------------|-------------------|
| (a) Unnilunium | (i) Mendelevium |
| (b) Unniltrium | (ii) Lawrencium |
| (c) Unnilhexium | (iii) Seaborgium |
| (d) Unununnium | (iv) Darmstadtium |
| (a) (c), (iii) | (b) (d), (iv) |
| (c) (a), (i) | (d) (b), (ii) |

82. Which of the following alkane cannot be made in good yield by Wurtz reaction?.

- (a) n-Heptane
- (b) n-Butane
- (c) n-Hexane
- (d) 2,3-Dimethylbutane

83. Elimination reaction of 2-Bromo-pentane to form pent-2-ene is.

- (a) β -Elimination reaction
 - (b) Follows Zaitsev rule
 - (c) Dehydrohalogenation reaction
 - (d) Dehydration reaction
- | | |
|-------------------|-------------------|
| (a) (b), (c), (d) | (b) (a), (b), (d) |
| (c) (a), (b), (c) | (d) (a), (c), (d) |

84. The number of Faradays(F) required to produce 20 g of calcium from molten CaCl_2 (Atomic mass of Ca = 40 g mol⁻¹) is.

- (a) 3 (b) 4
(c) 1 (d) 2

85. Which one of the followings has maximum number of atoms?

- (a) 1 g of $\text{O}_2(\text{g})$ [Atomic mass of O = 16]
(b) 1 g of $\text{Li}(\text{s})$ [Atomic mass of Li = 7]
(c) 1 g of $\text{Ag}(\text{s})$ [Atomic mass of Ag = 108]
(d) 1 g of $\text{Mg}(\text{s})$ [Atomic mass of Mg = 24]

86. For the reaction, $2\text{Cl}(\text{g}) \rightarrow \text{Cl}_2(\text{g})$, the correct option is :

- (a) $\Delta_r H < 0$ and $\Delta_r S > 0$
(b) $\Delta_r H < 0$ and $\Delta_r S < 0$
(c) $\Delta_r H > 0$ and $\Delta_r S > 0$
(d) $\Delta_r H > 0$ and $\Delta_r S < 0$

87. Identify the correct statements from the following:


- (a) $\text{CO}_2(\text{g})$ is used as refrigerant for ice-cream and frozen food,
(b) The structure of C_{60} contains twelve six carbon rings and twenty five carbon rings.
(c) ZSM-5, a type of zeolite, is used to convert alcohols into gasoline.
(d) CO is colorless and odourless gas.

- (a) (b) and (c) only
(b) (c) and (d) only
(c) (a), (b) and (c) only
(d) (a) and (c) only

88. Measuring Zeta potential is useful in determining which property of colloidal solution?

- (a) Stability of the colloidal particles
(b) Size of the colloidal particles
(c) Viscosity
(d) Solubility

89. What is the change in oxidation number of carbon in the following reaction?



- (a) - 4 to + 4 (b) 0 to -4
(c) + 4 to + 4 (d) 0 to + 4

90. The following metal ion activates many enzymes, participates in the oxidation of glucose to

produce ATP and with Na, is responsible for the transmission of nerve signals.

- (a) Calcium (b) Potassium
(c) Iron (d) Copper

BIOLOGY

91. Presence of which of the following conditions in urine are indicative of Diabetes Mellitus?

- (a) Ketonuria and Glycosuria
(b) Renal calculi and Hyperglycaemia
(c) Uremia and Ketonuria
(d) Uremia and Renal Calculi

92. Match the following columns and select the correct option. Column-I Column-II

- (a) Placenta (i) Androgens
(b) Zona pellucida (ii) Human Chorionic Gonadotropin (hCG)
(c) Bulbo-urethral (iii) Layer of the ovum glands
(d) Leydig cells (iv) Lubrication of the Penis

a b c d

- (a) (iii) (ii) (iv) (i)
(b) (ii) (iii) (iv) (i)
(c) (iv) (iii) (i) (ii)
(d) (i) (iv) (ii) (iii)

93. Match the following columns and select the correct option. Column-I Column-II

(a)	Bt cotton	(i)	Gene therapy
(b)	Adenosine deaminase	(ii)	Cellular defence deficiency
(c)	RNAi	(iii)	Detection of HIV infection
(d)	PCR	(iv)	Bacillus thuringiensis

(a) (b) (c) (d)

(a) (ii) (iii) (iv) (i)

(b) (i) (ii) (iii) (iv)

(c) (iv) (i) (ii) (iii)

(d) (iii) (ii) (i) (iv)

94. The sequence that controls the copy number of the linked DNA in the vector, is termed

(a) Palindromic sequence

(b) Recognition site

(c) Selectable marker

(d) Ori site

95. Match the following columns and select the correct option.

	Column-I		Column-II
(a)	6-15 pairs of gill slits	(i)	Trygon
(b)	Heterocercal caudal fin	(ii)	Cyclostomes
(c)	Air Bladder	(iii)	Chondrichthyes
(d)	Poison sting	(iv)	Osteichthyes

(a) (b) (c) (d)

(a) (iv) (ii) (iii) (i)

(b) (i) (iv) (iii) (ii)

(c) (ii) (iii) (iv) (i)

(d) (iii) (iv) (i) (ii)

96. In which of the following techniques, the embryos are transferred to assist those females who

cannot conceive?

(a) ICSI and ZIFT

(b) GIFT and ICSI

(c) ZIFT and IUT

(d) GIFT and ZIFT

97. Select the correct events that occur during inspiration.

(a) Contraction of diaphragm

(b) Contraction of external inter-costal muscles

(c) Pulmonary volume decreases

(d) Intra pulmonary pressure increases

(a) (a), (b) and (d)

(b) only (d)

(c) (a) and (b)

(d) (c) and (d)

98. The QRS complex in a standard ECG represents .

(a) Depolarization of ventricles

(b) Repolarization of ventricles

(c) Repolarization of auricles

(d) Depolarization of auricles

99. The enzyme enterokinase helps in conversion of.

(a) caseinogen into casein

(b) pepsinogen into pepsin

(c) protein into polypeptides

(d) trypsinogen into trypsin

100. Identify the correct statement with reference to human digestive system.

- (a) Ileum is a highly coiled part.
- (b) Vermiform appendix arises from duodenum.
- (c) Ileum opens into small intestine.
- (d) Serosa is the innermost layer of the alimentary canal.

101. Ray florets have.

- (a) Hypogynous ovary
- (b) Half inferior ovary
- (c) Inferior ovary
- (d) Superior ovary

102. Which of the following is put into anaerobic sludge digester for further sewage treatment?.

- (a) Effluents of primary treatment
- (b) Activated sludge
- (c) Primary sludge
- (d) Floating debris

103. The number of substrate level phosphorylation's in one turn of citric acid cycle is .

- (a) Two
- (b) Three
- (c) Zero
- (d) One

104. Identify the correct statement with regard to d phase (Gap₁) of interphase.

- (a) Cell is metabolically active, grows but does not replicate its DNA.
- (b) Nuclear Division takes place.
- (c) DNA synthesis or replication takes place.
- (d) Reorganisation of all cell components takes place.

105. Which of the following pairs is of unicellular algae?

- (a) Anabaena and Volvox
- (b) Chlorella and Spirulina
- (c) Laminaria and Sargassum
- (d) Gelidium and Gracilaria

106. Identify the wrong statement with reference to immunity.

- (a) Active immunity is quick and gives full response,
- (b) Foetus receives some antibodies from mother, it is an example for passive immunity.
- (c) When exposed to antigen (living or dead) antibodies are produced in the host's body. It is called "Active immunity".
- (d) When ready-made antibodies are directly given, it is called "Passive immunity".

107. Match the following columns and select the correct option.

	Column-I		Column-II
(a)	Floating Ribs	(i)	Located between second and seventh ribs
(b)	Acromion	(ii)	Head of the humerus
(c)	Scapula	(iii)	Clavicle
(d)	Glenoid cavity	(iv)	Do not connect with the sternum

(a) (b) (c) (d)

- (a) (iii) (ii) (iv) (i)
- (b) (iv) (iii) (i) (ii)
- (c) (ii) (iv) (i) (iii)
- (d) (i) (iii) (ii) (iv)

108. Identify the basic ammo acid from the following.

- (a) Lysine
- (b) Valine
- (c) Tyrosine
- (d) Glutamic Acid

109. The plant parts which consist of two generations - one within the other.

- (a) Pollen grains inside the anther
- (b) Germinated pollen grain with two male gametes
- (c) Seed inside the fruit
- (d) Embryo sac inside the ovule

- (a) (c) and (d)
- (b) (a) and (d)
- (c) (a) only
- (d) (a), (b) and (c)

110. Identify the wrong statement with reference to transport of oxygen.

- (a) Higher H^+ conc. in alveoli favours the formation of oxyhaemoglobin
- (b) Low pCO_2 in alveoli favours the formation of oxyhaemoglobin
- (c) Binding of oxygen with haemoglobin is mainly related to partial pressure of O_2
- (d) Partial pressure of CO_2 can interfere with O_2 binding with haemoglobin

111. Match the following columns and select the correct option.

Column-I

- (a) Organ of Corti
- (b) Cochlea
- (c) Eustachian tube
- (d) Stapes

Column-II

- (i) Connects middle ear and pharynx
- (ii) Coiled part of the labyrinth
- (iii) Attached to the oval window
- (iv) Located on the basilar membrane

(a) (b) (c) (d)

- (a) (iv) (ii) (i) (iii)
- (b) (i) (ii) (iv) (iii)
- (c) (ii) (iii) (i) (iv)
- (d) (iii) (i) (iv) (ii)

112. Name the plant growth regulator which upon spraying on sugarcane crop, increases the length of stem, thus increasing the yield of sugarcane crop.

- (a) Ethylene
- (b) Absciscic acid
- (c) Cytokinin
- (d) Gibberellin

113. The roots that originate from the base of the stem are.

- (a) Prop roots
- (b) Lateral roots
- (c) Fibrous roots
- (d) Primary roots

114. If the head of cockroach is removed, it may live for few days because.

- (a) the head holds a small proportion of a nervous system while the rest is situated along the ventral part of its body.
- (b) the head holds a 1/3rd of a nervous system while the rest is situated along the dorsal part of its body.
- (c) the supra-esophageal ganglia of the cockroach are situated in ventral part of abdomen.
- (d) the cockroach does not have nervous system.

115. Strobili or cones are found in.

- (a) Marchantiid
- (b) Equisetum
- (c) Salvinia
- (d) Pteris

116. Dissolution of the synaptonemal complex occurs during

- (a) Diplotene
- (b) Leptotene
- (c) Pachytene
- (d) Zygotene

117. Match the following diseases with the causative organism and select the correct option.

Column-I

- (a) Typhoid
- (b) Pneumonia
- (c) Filariasis
- (d) Malaria

Column-II

- (i) Wuchereria
- (ii) Plasmodium
- (iii) Salmonella
- (iv) Haemophilus

(a) (b) (c) (d)

- (a) (ii) (i) (iii) (iv)

- (b) (iv) (i) (ii) (iii)
 (c) (i) (iii) (ii) (iv)
 (d) (iii) (iv) (i) (ii)

118. The first phase of translation is

- (a) Aminoacylation of tRNA
 (b) Recognition of an anti-codon
 (c) Binding of mRNA to ribosome
 (d) Recognition of DNA molecule

119. Match the following columns and select the correct option.

	Column-I		Column-II
(a)	Clostridium butylicum	(i)	Cyclosporin-A
(b)	Trichoderma polysporum	(ii)	Butyric Acid
(c)	Monascus purpureus	(iii)	Citric Acid
(d)	Aspergillus niger	(iv)	Blood cholesterol lowering agent

(a) (b) (c) (d)

- (a) (i) (ii) (iv) (iii)
 (b) (iv) (iii) (ii) (i)
 (c) (iii) (iv) (ii) (i)
 (d) (ii) (i) (iv) (iii)

120. The oxygenation activity of RuBisCo enzyme in photorespiration leads to the formation of.

- (a) 1 molecule of 6-C compound
 (b) 1 molecule of 4-C compound and 1 molecule of 2-C compound
 (c) 2 molecules of 3-C compound
 (d) 1 molecule of 3-C compound

121. Match the following concerning essential elements and their functions in plant

	Column-I		Column-II
(a)	Iron	(i)	Photolysis of water
(b)	Zinc	(ii)	Pollen germination
(c)	Boron	(iii)	Required for chlorophyll biosynthesis
(d)	Manganese	(iv)	IAA biosynthesis

(a) (b) (c) (d)

- (a) (iii) (iv) (ii) (i)
 (b) (iv) (i) (ii) (iii)
 (c) (ii) (i) (iv) (iii)
 (d) (iv) (iii) (ii) (i)

122. Name the enzyme that facilitates opening of DNA helix during transcription.

- (a) DNA polymerase
 (b) RNA polymerase
 (c) DNA ligase
 (d) DNA helicase

123. From his experiments, S.L. Miller produced amino acids by mixing the following in a closed flask.

- (a) CH₄, H₂, NH₃ and water vapor at 600°C
 (b) CH₃p H₂, NH₃ and water vapor at 600°C

- (c) CH_4 , H_2 , NH_3 and water vapor at 800°C
 (d) CH_3 , H_2 , NH_4 and water vapor at 800°C

124. Goblet cells of alimentary canal are modified from.

- (a) Chondrocytes
 (b) Compound epithelial cells
 (c) Squamous epithelial cells
 (d) Columnar epithelial cells

125. Cuboidal epithelium with brush border of microvilli is found in.

- (a) Proximal convoluted tubule of nephron
 (b) Eustachian tube
 (c) Lining of intestine
 (d) Ducts of salivary gland

126. In light reaction, plastoquinone facilitates the transfer of electrons from .

- (a) PS-I to NADP^+
 (b) PS-I to ATP synthase
 (c) PS-II to Cytb_6f complex
 (d) Cytb_6f complex to PS-I

127. If the distance between two consecutive base pairs is 0.34 nm and the total number of base

pairs of a DNA double helix in a typical mammalian cell is 6.6×10^9 bp, then the length of the DNA is approximately

- (a) 2.2 meters (b) 2.7 meters
 (c) 2.0 meters (d) 2.5 meters

128. Which is the important site of formation of glycoproteins and glycolipids in eukaryotic cells?

- (a) Golgi bodies
 (b) Polysomes
 (c) Endoplasmic reticulum
 (d) Peroxisomes

129. Which of the following statements is not correct?

- (a) The functional insulin has A and B chains linked together by hydrogen bonds.
 (b) Genetically engineered insulin is produced in *E. coli*.
 (c) In man insulin is synthesised as proinsulin.
 (d) The proinsulin has an extra peptide called C-peptide.

130. Identify the incorrect statement.

- (a) Sapwood is the innermost secondary xylem and is lighter in colour
 (b) Due to deposition of tannins, resins, oils etc., heart wood is dark in colour
 (c) Heart wood does not conduct water but gives mechanical support
 (d) Sapwood is involved in conduction of water and minerals from root to leaf

131. Floridian starch has structure similar to .

- (a) Mannitol and algin
 (b) Laminarin and cellulose
 (c) Starch and cellulose
 (d) Amylopectin and glycogen

132. Match the following with respect to meiosis.

(a)	Zygotene	(i)	Terminalization
(b)	Pachytene	(ii)	Chiasmata
(c)	Diplotene	(iii)	Crossing over
(d)	Diakinesis	(iv)	Synapsis

(a) (b) (c) (d)

- (a) (iii) (iv) (ii) (i)
 (b) (iv) (i) (ii) (iii)
 (c) (ii) (i) (iv) (iii)
 (d) (iv) (iii) (ii) (i)

133. Match the following columns and select the correct option.

	Column-I		Column-II
--	----------	--	-----------

(a)	Eosinophils	(i)	Immune response
(b)	Basophils	(ii)	Phagocytosis
(c)	Neutrophils	(iii)	Release histaminase, destructive enzymes
(d)	Lymphocytes	(iv)	Release granules containing histamine

(a) (b) (c) (d)

- (a) (i) (ii) (iv) (iii)
 (b) (ii) (i) (iii) (iv)
 (c) (iii) (iv) (ii) (i)
 (d) (iv) (i) (ii) (iii)

134. The process of growth is maximum during.

- (a) Senescence
 (b) Dormancy
 (c) Log phase
 (d) Lag phase

135. Match the following

(a)	Inhibitor of catalytic activity	(i)	Ricin
(b)	Possess peptide bonds	(ii)	Malonate
(c)	Cell wall material in fungi	(iii)	Chitin
(d)	Secondary metabolite	(iv)	Collagen Choose the correct option from the following

(a) (b) (c) (d)

- (a) (iii) (iv) (i) (ii)
 (b) (ii) (iii) (i) (iv)
 (c) (ii) (iv) (iii) (i)
 (d) (iii) (i) (iv) (ii)

136. Some dividing cells exit the cell cycle and enter vegetative inactive stage. This is called quiescent stage (G_0). This process occurs at the end of.

- (a) S phase (b) G_2 phase
 (c) M phase (d) G_1 phase

137. Which of the following would help in prevention of diuresis?

- (a) Atrial natriuretic factor causes vasoconstriction
 (b) Decrease in secretion of renin by JG cells
 (c) More water reabsorption due to under secretion of ADH
 (d) Reabsorption of Na^+ and water from renal tubules due to aldosterone

138. Which of the following is correct about viroids?

- (a) They have DNA with protein coat
 (b) They have free DNA without protein coat
 (c) They have RNA with protein coat
 (d) They have free RNA without protein coat

139. The infectious stage of Plasmodium that enters the human body is.

- (a) Female gametocytes
 (b) Male gametocytes
 (c) Trophozoites
 (d) Sporozoites

140. Which of the following statements is correct?.

- (a) Adenine pairs with thymine through three H-bonds
- (b) Adenine does not pair with thymine
- (c) Adenine pairs with thymine through two H-bonds
- (d) Adenine pairs with thymine through one H-bond

141. Flippers of Penguins and Dolphins are examples of.

- (a) Industrial melanism
- (b) Natural selection
- (c) Adaptive radiation
- (d) Convergent evolution

142. Montreal protocol was signed in 1987 for control of

- (a) Release of Green House gases
- (b) Disposal of e-wastes
- (c) Transport of Genetically modified organisms from one country to another
- (d) Emission of ozone depleting substances

143. Identify the wrong statement with regard to Restriction Enzymes.

- (a) They are useful in genetic engineering.
- (b) Sticky ends can be joined by using DNA ligases.
- (c) Each restriction enzyme functions by inspecting the length of a DNA sequence.
- (d) They cut the strand of DNA at palindromic sites.

144. By which method was a new breed 'Hisardale' of sheep formed by using Bikaneri ewes and

Marino rams?

- (a) Cross breeding
- (b) Inbreeding
- (c) Out crossing
- (d) Mutational breeding

145. Which of the following refer to correct example(s) of organisms which have evolved due to

changes in environment brought about by anthropogenic action?

- (a) Darwin's Finches of Galapagos islands.
- (b) Herbicide resistant weeds.
- (c) Drug resistant eukaryotes.
- (d) Man-created breeds of domesticated animals like dogs.

- (a) (b), (c) and (d)
- (b) only (d)
- (c) only (a)
- (d) (a) and (c)

146. Meiotic division of the secondary oocyte is completed.

- (a) After zygote formation
- (b) At the time of fusion of a sperm with an ovum
- (c) Prior to ovulation
- (d) At the time of copulation

147. In relation to Gross primary productivity and Net primary productivity of an ecosystem,

which one of the following statements is correct?

- (a) Gross primary productivity and Net primary productivity are one and same
- (b) There is no relationship between Gross primary productivity and Net primary productivity
- (c) Gross primary productivity is always less than net primary productivity
- (d) Gross primary productivity is always more than net primary productivity

148. Identify the wrong statement with reference to the gene T that controls ABO blood groups.

- (a) When I^A and I^B are present together, they express same type of sugar.
- (b) Allele 'i' does not produce any sugar.
- (c) The gene (I) has three alleles.
- (d) A person will have only two of the three alleles.

149. Match the following columns and select the correct option. Column-I Column-II

(a)	Pituitary gland	(i)	Grave's disease
(b)	Thyroid gland	(ii)	Diabetes mellitus

(c)	Adrenal gland	(iii)	Diabetes insipidus
(d)	Pancreas	(iv)	Addison's disease

(a) (b) (c) (d)

- (a) (iii) (i) (iv) (ii)
 (b) (ii) (i) (iv) (iii)
 (c) (iv) (iii) (i) (ii)
 (d) (iii) (ii) (i) (iv)

150. According to Robert May, the global species diversity is about.

- (a) 50 million
 (b) 7 million
 (c) 1.5 million
 (d) 20 million

151. The body of the ovule is fused within the funicle at.

- (a) Nucellus (b) Chalaza
 (c) Hilum (d) Micropyle

152. Match the following columns and select the correct option.

	Column-I		Column-II
(a)	Gregarious polyphagous pest	(i)	Asterias
(b)	Adult with radial symmetry and larva	(ii)	Scorpion with bilateral symmetry
(c)	Book lungs	(iii)	Ctenoplana
(d)	Bioluminescence	(iv)	Locusta

(a) (b) (c) (d)

- (a) (iii) (ii) (i) (iv)
 (b) (ii) (i) (iii) (iv)
 (c) (i) (iii) (ii) (iv)
 (d) (iv) (i) (ii) (iii)

153. Embryological support for evolution was disapproved by

- (a) Charles Darwin
 (b) Oparin
 (c) Karl Ernst von Baer
 (d) Alfred Wallace

154. Match the organism with its use in biotechnology.

(a)	Bacillus thuringiensis	(i)	Cloning vector
(b)	Thermus aquaticus	(ii)	Construction of first rDNA molecule
(c)	Agrobacterium tumefaciens	(iii)	DNA polymerase
(d)	Salmonella typhimurium	(iv)	Cry proteins

Select the correct option from the following:

(a) (b) (c) (d)

- (a) (iii) (ii) (iv) (i)
 (b) (iii) (iv) (i) (ii)
 (c) (ii) (iv) (iii) (i)
 (d) (iv) (iii) (i) (ii)

155. Which of the following is not an inhibitory substance governing seed dormancy?

- (a) Phenolic acid
- (b) Para-ascorbic acid
- (c) Gibberellic acid
- (d) Abscissic acid

156. Which of the following statements about inclusion bodies is incorrect?

- (a) They lie free in the cytoplasm
- (b) These represent reserve material in cytoplasm
- (c) They are not bound by any membrane
- (d) These are involved in ingestion of food particles

157. The ovary is half inferior in:

- (a) Sunflower
- (b) Plum
- (c) Brinjal
- (d) Mustard

158. Match the trophic levels with their correct species examples in grassland ecosystem

(a)	Fourth trophic level	(i)	Crow
(b)	Second trophic level	(ii)	Vulture
(c)	First trophic level	(iii)	Rabbit
(d)	Third trophic level	(iv)	Grass Select the correct option

(a) (b) (c) (d)

- (a) (iv) (iii) (ii) (i)
- (b) (i) (ii) (iii) (iv)
- (c) (ii) (iii) (iv) (i)
- (d) (iii) (ii) (i) (iv)

159. The process responsible for facilitating loss of water in liquid form from the tip of grass blades at night and in early morning is

- (a) Imbibition
- (b) Plasmolysis
- (c) Transpiration
- (d) Root pressure

160. Choose the correct pair from the following.

- (a) Nucleases - Separate the two strands of DNA
- (b) Exonucleases - Make cuts at specific positions within DNA
- (c) Ligases - Join the two DNA molecules
- (d) Polymerases - Break the DNA into fragments

161. The transverse section of a plant shows following anatomical features:

- (A) Large number of scattered vascular bundles surrounded by bundle sheath
- (B) Large conspicuous parenchymatous ground tissue
- (C) Vascular bundles conjoint and closed
- (D) Phloem parenchyma absent

Identify the category of plant and its part:

- (a) Dicotyledonous stem
- (b) Dicotyledonous root
- (c) Monocotyledonous stem
- (d) Monocotyledonous root

162. Experimental verification of the chromosomal theory of inheritance was done by

- (a) Boveri
- (b) Morgan
- (c) Mendel
- (d) Sutton

163. Bt cotton variety that was developed by the introduction of toxin gene of Bacillus thuringiensis (Bt) is resistant to

- (a) Plant nematodes

- (b) Insect predators
- (c) Insect pests
- (d) Fungal diseases

164. Select the correct statement.

- (a) Insulin acts on pancreatic cells and adipocytes.
- (b) Insulin is associated with hyperglycemia.
- (c) Glucocorticoids stimulate gluconeogenesis.
- (d) Glucagon is associated with hypoglycemia.

165. The specific palindromic sequence which is recognized by EcoRI is

- (a) 5'-CTTAAG- 3'
3'-GAATTC-5'
- (b) 5'-GGATCC-3'
3'-CCTAGG-5'
- (c) 5' - GAATTC - 3'
3'-CTTAAG-5'
- (d) 5'-GGAACC-3'
3'-CCTTGG-5'

166. Identify the substances having glycosidic bond and peptide bond, respectively in their structure.

- (a) Cellulose, lecithin
- (b) Inulin, insulin
- (c) Chitin, cholesterol
- (d) Glycerol, trypsin

167. The product(s) of reaction catalyzed by nitrogenase in root nodules of leguminous plants

is/are.

- (a) Ammonia and oxygen
- (b) Ammonia and hydrogen
- (c) Ammonia alone
- (d) Nitrate alone

168. Which of the following hormone levels will cause release of ovum (ovulation) from the graffian follicle?

- (a) Low concentration of LH
- (b) Low concentration of FSH
- (c) High concentration of Estrogen
- (d) High concentration of Progesterone

169. Which of the following statements are true for the phylum Chordata?

- (a) In Urochordata notochord extends from head to tail and it is present throughout their life.
- (b) In Vertebrata notochord is present during the embryonic period only.
- (c) Central nervous system is dorsal and hollow.
- (d) Chordata is divided into 3 subphyla: Hemichordata, Tunicata and Cephalochordata.

- (a) (a) and (b)
- (b) (b) and (c)
- (c) (d) and (c)
- (d) (c) and (a)

170. Bilaterally symmetrical and acoelomate animals are exemplified by.

- (a) Aschelminthes
- (b) Annelida
- (c) Ctenophora
- (d) Platyhelminthes

171. Which of the following regions of the globe exhibits highest species diversity?

- (a) Himalayas
- (b) Amazon forests
- (c) Western Ghats of India
- (d) (4) Madagascar

172. Select the correct match.

- (a) Sick cell anaemia - Autosomal recessive trait, chromosome-11
- (b) Thalassemia - X linked
- (c) Haemophilia - Y linked

(d) Phenylketonuria - Autosomal dominant trait

173. Which one of the following is the most abundant protein in the animals?

- (a) Lectin (b) Insulin
(c) Haemoglobin (d) Collagen

174. Select the option including all sexually transmitted diseases.

- (a) AIDS, Malaria, Filariasis
(b) Cancer, AIDS, Syphilis
(c) Gonorrhoea, Syphilis, Genital herpes
(d) Gonorrhoea, Malaria, Genital herpes

175. In water hyacinth and water lily, pollination takes place by:

- (a) Wind and water
(b) Insects and water
(c) Insects or wind
(d) Water currents only

176. Secondary metabolites such as nicotine, strychnine and caffeine are produced by plants for their

- (a) Defence action
(b) Effect on reproduction
(c) Nutritive value
(d) Growth response

177. How many true breeding pea plant varieties did Mendel select as pairs, which were similar

except in one character with contrasting traits?

- (a) 14 (b) 8
(c) 4 (d) 2

178. Which of the following is not an attribute of a population?

- (a) Mortality (b) Species interaction
(c) Sex ratio (d) Natality

179. Snow-blindness in Antarctic region is due to.

- (a) High reflection of light from snow
(b) Damage to retina caused by infra-red rays
(c) Freezing of fluids in the eye by low temperature
(d) Inflammation of cornea due to high dose of UV-B radiation

180. During one complete cycle of the citric acid cycle, how many substrate-level phosphorylation events occur?

- (a) Two (b) Three
(c) None (d) One