

PHYSICS

Section A

1. The escape velocity from the Earth's Surface is v . The escape velocity from the surface of another planet having a radius, four times that of Earth and same mass density is:


- (a) $4v$ (b) v
(c) $2v$ (d) $3v$

2. A cup of coffee cools from 90°C to 80°C in t minutes, when the room temperature is 20°C . The time taken by a similar cup of coffee to cool from 80°C to 60°C at a room temperature same at 20°C is:

- (a) $\frac{5}{13}t$ (b) $\frac{13}{10}t$
(c) $\frac{13}{5}t$ (d) $\frac{10}{13}t$

3. A thick current carrying cable of radius ' R ' carries current T uniformly distributed across its


cross-section, The variation of magnetic field $B(r)$ due to the cable with the distance ' r ' from the axis of the cable is represented by:



4. Polar molecules are the molecules:

- (a) having a permanent electric dipole moment
(b) having zero dipole moment
(c) acquire a dipole moment only in the presence of electric field due to displacement of charges.
(d) acquire a dipole moment only when magnetic field is absent.

5. Find the value of the angle of emergence from the prism. Refractive index of the glass is $\sqrt{3}$.



- (a) 90° (b) 60°
(c) 30° (d) 45°

6. A parallel plate capacitor has a uniform electric field ' E ' in the space between the plates, If the distance between the plates is ' D ' and the area of each plate is ' A ', the energy stored in the capacitor is: (ϵ_0 = permittivity of free space)

- (a) $\frac{E^2 Ad}{\epsilon_0}$ (b) $\frac{1}{2} \epsilon_0 E^2$
(c) $\epsilon_0 EAd$ (d) $\frac{1}{2} \epsilon_0 E^2 Ad$

7. A particle is released from height S from the surface of the Earth. At a certain height its kinetic energy is three times its potential energy. The height from the surface of earth and the speed of the particle at that instant are respectively:

- (a) $\frac{S}{4}, \sqrt{\frac{3gS}{2}}$ (b) $\frac{S}{4}, \frac{3gS}{2}$

(c) $\frac{S}{4'} \frac{\sqrt{3gS}}{2}$ (d) $\frac{S}{2'} \frac{\sqrt{3gS}}{2}$


8. The velocity of a small ball of mass M and density d , when dropped in a container filled with glycerine becomes constant after some time. If the density of glycerine is $\frac{d}{2}$, then the viscous force acting on the ball will be:

(a) $2Mg$ (b) $\frac{Mg}{2}$
(c) Mg (d) $\frac{3}{2}Mg$

9. The electron concentration in an n-type semiconductor is the same as hole concentration in a p-type semiconductor. An external field (electric) is applied across each of them. Compare the currents in them.

- (a) No current will flow in p-type, current will only flow in n-type.
(b) current in n - type = current in p - type.
(c) current in p-type > current in n-type.
(d) current in n-type > current in p-type.

10. An infinitely long straight conductor carries a current of 5 A as shown. An electron is moving with a speed of 10^5 m/s parallel to the conductor. The perpendicular distance between the electron and the conductor is 20 cm at an instant. Calculate the magnitude of the force experienced by the electron at that instant.



- (a) 8×10^{-20} N
(b) 4×10^{-20} N
(c) $8\pi \times 10^{-20}$ N
(d) $4\pi \times 10^{-20}$ N

11. An electromagnetic wave of wavelength ' λ ' is incident on a photosensitive surface of negligible work function. If 'm' mass is of photoelectron emitted from the surface has de-Broglie wavelength λ_d , then:


(a) $\lambda = \frac{2h}{mc} \times \lambda_d^2$
(b) $\lambda = \frac{2h}{hc} \times \lambda_d^2$
(c) $\lambda_d = \frac{2mc}{h} \times \lambda^2$
(d) $\lambda = \frac{2mc}{h} \times \lambda_d^2$

12. Two charged spherical conductors of radius R_1 and R_2 are connected by a wire. Then the ratio of surface charge densities of the spheres (σ_1 / σ_2) is:

(a) $\frac{R_1^2}{R_2^2}$ (b) $\frac{R_1}{R_2}$
(c) $\frac{R_2}{R_1}$ (d) $\sqrt{\frac{R_1}{R_2}}$

13. An inductor of inductance L , a capacitor of capacitance C and a resistor of

resistance ' R ' are connected in series to an ac source of potential difference V volts as shown in figure. Potential difference across L , C and R is 40 V , 10 V and 40 V , respectively. The amplitude of current flowing through LCR series circuit is $10\sqrt{2}\text{ A}$. The impedance of the circuit is:



- (a) 5Ω (b) $4\sqrt{2}\Omega$
(c) $\frac{5}{\sqrt{2}}\Omega$ (d) 4Ω

14. For a plane electromagnetic wave propagating in x direction, which one of the following combinations gives the correct possible directions for electric field (E) and magnetic field (B) respectively?


- (a) $-j + k, -j + k$
(b) $j + k, j + k$
(c) $-j + k, -j - k$
(d) $j + k, -j - k$

15. Consider the following statements (A) and (B) and identify the correct answer. (A): A Zener

diode is connected in reverse bias, when used as a voltage regulator. (B): The potential barrier of p-n junction lies between 0.1 V to 0.3 V

- (a) (A) is incorrect but (B) is correct.
(b) (A) and (B) both are correct.
(c) (A) and (B) both are incorrect.
(d) (A) is correct and (B) is incorrect.

16. The equivalent capacitance of the combination shown in the figure is :




- (a) $3C/2$ (b) $3C$
(c) $2C$ (d) $C/2$

17. A capacitor of capacitance ' C ', is connected across an ac source of voltage V , given by $V = V_0 \sin \omega t$. The displacement current between the plates of the capacitor, would then be given by:

- (a) $I_d = V_0 \omega C \sin \omega t$
(b) $I_d = V_0 \omega C \cos \omega t$
(c) $I_d = \frac{V_0}{\omega C} \cos \omega t$
(d) $I_d = \frac{V_0}{\omega C} \sin \omega t$

18. A dipole is placed in an electric field as shown. In which direction will it move?



- (a) towards the right as its potential energy will increase
 (b) towards the left as its potential energy will increase.
 (c) towards the right as its potential energy will decrease.
 (d) towards the left as its potential energy will decrease.

19. In a potentiometer circuit a cell of EMF 1.5 V gives balance point at 36 cm length of wire. If another cell of EMF 2.5V replaces the first cell, then at what length of the wire, the balance point occurs?

- (a) 62 cm (b) 60 cm
 (c) 21.6cm (d) 64 cm

20. The number of photons per second on an average emitted by the source of monochromatic light of wavelength 600 nm, when it delivers the power of 3.3×10^{-3} watt will be: ($h \approx 6.6 \times 10^{-34}$ Js)

- (a) 10^{15} (b) 10^{18}
 (c) 10^{17} (d) 10^{16}

21. A small block slides down on a smooth inclined plane, starting from rest at time $t=0$, Let

S_n be the distance travelled by the block in the interval $t = n - 1$ to $t = n$. Then, the ratio $\frac{S_n}{S_{n+1}}$ is:

- (a) $\frac{2n}{2n-1}$ (b) $\frac{2n-1}{2n}$
 (c) $\frac{2n-1}{2n+1}$ (d) $\frac{2n+1}{2n-1}$

22. A screw gauge gives the following readings when used to measure the diameter of a wire
Main scale reading: 0 mm Circular scale reading: 52 divisions.

Given that 1 mm on main scale corresponds to 100 divisions on the circular scale. The diameter of the wire from the above data is:

- (a) 0.052cm (b) 0.52cm
 (c) 0.026cm (d) 0.26cm

23. A radioactive nucleus A_ZX undergoes spontaneous decay in the sequence

${}^A_ZX \rightarrow {}^{A-1}_{Z-1}B \rightarrow {}^{A-3}_{Z-3}C \rightarrow {}^{A-2}_{Z-2}D$ where Z is the atomic number of element X. The possible decay particles in the sequence are:

- (a) β^- , α , β^+ (b) α , β^- , β^+
 (c) α , β^+ , β^- (d) β^+ , α , β^-

24. A lens of large focal length and large aperture is best suited as an objective of an astronomical telescope since:

- (a) a large aperture contributes to the quality and visibility of the images.
 (b) a large area of the objective ensures better light gathering power.
 (c) a large aperture provides a better resolution.
 (d) all of the above.

25. A body is executing simple harmonic motion with frequency 'n', the frequency of its potential energy is:

- (a) 4n (b) n
 (c) 2n (d) 3n

26. The half-life of a radioactive nuclide is 100 hours. The fraction of original activity that will

remain after 150 hours would be:

- (a) $\frac{2}{3\sqrt{2}}$ (b) $\frac{1}{2}$
 (c) $\frac{1}{2\sqrt{2}}$ (d) $\frac{2}{3}$

27. Match Column -I and Column - II and choose the correct match from the given choices.

	List-I		List - II
--	--------	--	-----------

(A)	Root mean square speed of gas molecules	(P)	$\frac{1}{3}nmv^{-2}$
(B)	Pressure exerted by ideal gas	(Q)	$\sqrt{\frac{3RT}{M}}$
(C)	Average kinetic energy of a molecule	(R)	$\frac{5}{2}RT$
(D)	Total internal energy of mole of a diatomic gas	(S)	$\frac{3}{2}k_B T$

(a) (A) - (R), (B) - (Q), (C) - (P), (D) - (S).

(b) (A) - (R), (B) - (P), (C) - (S), (D) - (Q).

(c) (A) - (Q), (B) - (R), (C) - (S), (D) - (P).

(d) (A) - (Q), (B) - (P), (C) - (S), (D) - (R).

28. If force [F], acceleration [A] and time [T] are chosen as the fundamental physical quantities. Find the dimensions of energy.

(a) [F] [A⁻¹] [T]

(b) [F] [A] [T]

(c) [F] [A] [T²]

(d) [F] [A] [T⁻¹]

29. Water falls from a height of 60 m at the rate of 15 kg/s to operate a turbine. The losses due to frictional force are 10% of the input energy. How much power is generated by the turbine? (g = 10 m/s²)

(a) 7.0 kW

(b) 10.2 kW

(c) 8.1 kW

(d) 12.3 kW

30. The effective resistance of a parallel connection that consists of four wires of equal length,

equal area of cross-section and same material is 0.25 Ω. What will be the effective resistance if they are connected in series?

(a) 4 Ω

(b) 0.25 Ω

(c) 0.5 Ω

(d) 1 Ω

31. Column - I gives certain physical terms associated with flow of current through a metallic conductor. Column-II gives some mathematical relations involving electrical quantities.

Match Column-I and Column-II with appropriate relations.

	Column-I		Column - II
(A)	Drift Velocity	(P)	$\frac{m}{ne^2 \rho}$
(B)	Electrical Resistivity	(Q)	nev_d
(C)	Relaxation Period	(R)	$\frac{eE}{m} \tau$
(D)	Current Density	(S)	$\frac{E}{J}$

(a) (A) - (R), (B) - (Q), (C) - (S), (D) - (P)

(b) (A) - (R), (B) - (S), (C) - (P), (D) - (Q)

(c) (A) - (R), (B) - (S), (C) - (Q), (D) - (P)

(d) (A) - (R), (B) - (P), (C) - (S), (D) - (Q)

32. A nucleus with mass number 240 breaks into two fragments each of mass number 120, the binding energy per nucleon of unfragmented nuclei is 7.6 MeV while that of fragments is 8.5 MeV. The total gain in the Binding Energy in the process is:

(a) 216 MeV

(b) 0.9 MeV

(c) 9.4 MeV

(d) 804 MeV

33. A convex lens 'A' of focal length 20 cm and a concave lens 'B' of focal length 5 cm are kept along the same axis with a distance 'd' between them. If a parallel beam of light falling on 'A' leaves 'B' as a parallel beam, then the distance 'd' in cm will be:

(a) 30

(b) 25

- (c) 15 (d) 50

34. A spring is stretched by 5 cm by a force 10 N. The time period of the oscillations when a mass of 2 kg is suspended by it is:

- (a) 0.629s (b) 0.0628s
(c) 6.28s (d) 3.14s

35. If E and G respectively denote energy and gravitational constant, then $\frac{E}{G}$ has the.

- (a) $[M^2][L^{-2}][T^{-1}]$
(b) $[M^2][L^{-1}][T^0]$
(c) $[M][L^{-1}][T^{-1}]$
(d) $[M][L^0][T^0]$

Section B

36. Twenty-seven drops of same size are charged at 220 V each. They combine to form a bigger drop. Calculate the potential of the bigger drop.

- (a) 1980V (b) 660V
(c) 1320V (d) 1520V

37. A particle moving in a circle of radius R with a uniform speed takes a time T to complete one revolution. If this particle were projected with the same speed at an angle ' θ ' to the horizontal, the maximum height attained by it equals 4R. The angle of projection, θ , is then given by.

- (a) $\theta = \sin^{-1} \left(\frac{2gT^2}{\pi^2 R} \right)^{1/2}$ (b) $\theta = \cos^{-1} \left(\frac{gT^2}{\pi^2 R} \right)^{1/2}$
(c) $\theta = \cos^{-1} \left(\frac{\pi^2 R}{gT^2} \right)^{1/2}$ (d) $\theta = \sin^{-1} \left(\frac{\pi^2 R}{gT^2} \right)^{1/2}$

38. From a circular ring of mass 'M' and radius 'R' an arc corresponding to a 90° sector is removed. The moment of inertia of the remaining part of the ring about an axis passing through the centre of the ring and perpendicular to the plane of the ring is 'K' times 'MR²'. Then the value of 'K' is:

- (a) $\frac{1}{8}$ (b) $\frac{3}{4}$
(c) $\frac{7}{8}$ (d) $\frac{1}{4}$

39. A uniform conducting wire of length 12a and resistance 'R' is wound up as a current carrying coil in the shape of,

- (i) an equilateral triangle of side 'a'.
(ii) a square of side 'a'.

The magnetic dipole moments of the coil in each case respectively are:

- (a) $4la^2$ and $3a^2$
(b) $\sqrt{3}la^2$ and $3la^2$
(c) $3la^2$ and la^2
(d) $3la^2$ and $4la^2$

40. Two conducting circular loops of radii R₁ and R₂ are placed in the same plane with their

centers coinciding. If R₁ >> R₂, the mutual inductance M between them will be directly proportional to:

- (a) $\frac{R_2^2}{R_1}$ (b) $\frac{R_1}{R_2}$
(c) $\frac{R_2}{R_1}$ (d) $\frac{R_1^2}{R_2}$

41. A particle of mass 'm' is projected with a velocity

$V = kV_B (k < 1)$ from the surface of the earth.


(V_e = escape velocity) The maximum height above the surface reached by the particle is:

- (a) $\frac{Rk^2}{1-k^2}$ (b) $R\left(\frac{k}{1-k}\right)^2$
(c) $R\left(\frac{k}{1+k}\right)^2$ (d) $\frac{R^2k}{1+k}$

42. A step-down transformer connected to an ac mains supply of 220 V is made to operate at 11 V, 44 W lamp. Ignoring power losses in the transformer, what is the current in the primary circuit?

- (a) 4 A (b) 0.2 A
(c) 0.4 A (d) 2 A

43. For the given circuit, the input digital signals are applied at the terminals A, B and C. What would be the output at the terminal y?



44. A ball of mass 0.15 kg is dropped from a height 10 m, strikes the ground and rebounds to the same height. The magnitude of impulse imparted to the ball is ($g = 10 \text{ m/s}^2$) nearly:

- (a) 1.4 kg m/s
(b) 0 kg m/s
(c) 4.2 kg m/s
(d) 2.1 kg m/s


45. A car starts from rest and accelerates at 5 m/s^2 . At $t = 4 \text{ s}$, a ball is dropped out of a window

by a person sitting in the car. What is the velocity and acceleration of the ball at $t = 6 \text{ s}$?

(Take, $g = 10 \text{ m/s}^2$)

- (a) $20\sqrt{2} \text{ m/s}, 10 \text{ m/s}^2$
(b) $20 \text{ m/s}, 5 \text{ m/s}^2$
(c) $20 \text{ m/s}, 0 \text{ m/s}^2$
(d) $20\sqrt{2} \text{ m/s}, 0 \text{ m/s}^2$

46. A point object is placed at a distance of 60 cm from a convex lens of focal length 30 cm. If a plane mirror were put perpendicular to the principal axis of the lens and at a distance of 40 cm from it, the final image would be formed at a distance of



- (a) 20 cm from the plane mirror, it would be a virtual image
 (b) 20 cm from the lens, it would be a real image.
 (c) 30 cm from the lens, it would be a real image.
 (d) 30 cm from the plane mirror, it would be a virtual image.

47. In the product

$$\vec{F} = q(\vec{v} \times \vec{B}) = q\vec{v} \times (\hat{B}_i + B_j + B_0 k)$$

For $q = 1$ and $\vec{v} = 2\hat{i} + 4j + 6k$ and $\vec{F} = 4\hat{i} - 20j + 12k$

What will be the complete expression for $\vec{B}$?


- (a) $6\hat{i} + 6j - 8k$ (b) $-8\hat{i} - 8j - 6k$
 (c) $-6\hat{i} - 6j - 8k$ (d) $8\hat{i} + 8j - 6k$

48. A series LCR circuit containing 5.0 H inductor, 80 μ F capacitor and 40 Ω resistor is connected to 230 V variable frequency ac sources. The angular frequencies of the source at which power transferred to the circuit is half the power at the resonant angular frequency are likely to be

- (a) 42 rad/s and 58 rad/s
 (b) 25 rad/s and 75 rad/s
 (c) 50 rad/s and 25 rad/s
 (d) 46 rad/s and 54 rad/s


49. Three resistors having resistances r_1 , r_2 and r_3 are connected as shown in the given

circuit. The ratio $\frac{i_3}{i_1}$ of currents in terms of resistances used in the circuit is:



- (a) $\frac{r_2}{r_1 + r_3}$ (b) $\frac{r_1}{r_2 + r_3}$
 (c) $\frac{r_2}{r_2 + r_3}$ (d) $\frac{r_1}{r_1 + r_2}$

50. A uniform rod of length 200 cm and mass 500 g is balanced on a wedge placed at 40 cm mark. A mass of 2 kg is suspended from the rod at 20 cm and another unknown mass 'm' is suspended from the rod at 160 cm mark as shown in the figure. Find the value of 'm' such that the rod is in equilibrium, ($g = 10 \text{ m/s}^2$).



- (a) $\frac{1}{12} \text{ kg}$ (b) $\frac{1}{2} \text{ kg}$
 (c) $\frac{1}{3} \text{ kg}$ (d) $\frac{1}{6} \text{ kg}$

Section A





51. Dihedral angle of least stable conformer of ethane is :

- (a) 0° (b) 120°
(c) 180° (d) 60°

52. The structures of beryllium chloride in solid state and vapour phase, are:

- (a) Chain in both
(b) Chain and dimer, respectively
(c) Linear in both
(d) Dimer and Linear, respectively

53. Identify the compound that will react with Hinsberg's reagent to give a solid which dissolves in alkali

- (a) 
(b) 
(c) 
(d) 

54. The molar conductance of NaCl, HCl and CH_3COONa at infinite dilution are 126.45, 426.16 and $91.0 \text{ Scm}^2\text{mol}^{-1}$ respectively. The molar conductance of CH_3COOH at infinite dilution is. Choose the right option for your answer

- (a) $540.48 \text{ Scm}^2\text{mol}^{-1}$
(b) $201.28 \text{ Scm}^2\text{mol}^{-1}$
(c) $390.71 \text{ Scm}^2\text{mol}^{-1}$
(d) $698.28 \text{ Scm}^2\text{mol}^{-1}$

55. Right option for the number of tetrahedral and octahedral voids in hexagonal primitive unit cell are.

- (a) 12,6 (b) 8,4
(c) 6,12 (d) 2,1


56. Tritium, a radioactive isotope of hydrogen, emits which of the following particles?

- (a) Neutron (n) (b) Beta (β)
(c) Alpha (α) (d) Gamma (γ)

57. An organic compound contains 78% (by wt.) carbon and remaining percentage of hydrogen, The right option for the empirical formula of this compound is : [Atomic wt. of C is 12, H is 1]


- (a) CH_4 (b) CH
(c) CH_2 (d) CH_3

58. What is the IUPAC name of the organic compound formed in the following chemical reaction?




- (a) 2-methyl butan-2-ol
(b) 2-methyl propan-2-ol
(c) pentan-2-ol
(d) pentan-3-ol

59. Choose the correct option for graphical representation of Boyle's law, which shows a graph of pressure vs. volume of a gas at different temperatures.



60. The correct structure of 2,6-Dimethyl-dec-4-ene is:



61. Match List - I with List - II

- | | |
|--------------------|---------------------------|
| (a) PCl_5 | (i) Square pyramidal |
| (b) SF_6 | (ii) Trigonal planar |
| (c) BrF_5 | (iii) Octahedral |
| (d) BF_3 | (iv) Trigonal bipyramidal |

Choose the correct answer from the options given below

a b c d

- (a) iv iii ii i
(b) Iv iii i ii
(c) ii iii iv i
(d) iii i iv ii

62. The maximum temperature that can be achieved in blast furnace is:

- (a) upto 5000K
(b) upto 1200 K
(c) upto 2200 K
(d) upto 1900K

63. Which one among the following is the correct option for right relationship between C_p and C_v for one mole of ideal gas?

- (a) $C_v = RC_p$ (b) $C_p + C_v = R$
(c) $C_p - C_v = R$ (d) $C_p = RC_v$

64. Statement I: Acid strength increases in the order given as $HF \ll HCl \ll HBr \ll HI$

Statement II: As the size of the elements F, Cl, Br, I increases down the group, the bond strength of HF, HCl, HBr and HI decreases and so the acid strength increases.

In the light of the above statements, choose the correct answer from the options given below.:

- (a) Statement I is incorrect but Statement II is true
(b) Both Statement I and Statement II are true
(c) Both Statement I and Statement II are false
(d) Statement I is correct but Statement II is false

65. The right option for the statement "Tyndall effect is exhibited by" is.

- (a) Urea solution
(b) NaCl Solution
(c) Glucose Solution
(d) Starch Solution


66. The correct option for the number of body centered unit cells in all 14 types of Bravais lattice unit cells is:

- (a) 3 (b) 7
(c) 5 (d) 2

67. Which of the following reactions is the metal displacement reaction? Choose the right option.

- (a) $2Pb(NO_3)_2 \rightarrow 2PbO + 4NO_2 + O_2 \uparrow$
(b) $2KClO_3 \xrightarrow{\Delta} 2KCl + 3O_2$
(c) $Cr_2O_3 + 2Al \xrightarrow{\Delta} Al_2O_3 + 2Cr$
(d) $Fe + 2HCl \rightarrow FeCl_2 + H_2 \uparrow$

68. For a reaction $A \rightarrow B$, enthalpy of reaction is -4.2 kJ mol^{-1} and enthalpy of activation is 9.6 kJ mol^{-1} . The correct potential energy profile for the reaction is shown in option:



69. The p^{kb} of dimethylamine and p^{ka} of acetic acid are 3.27 and 4.77 respectively at T (K). The correct option for the pH of dimethylammonium acetate solution is:

- (a) 6.25 (b) 8.50
(c) 5.50 (d) 7.75

70. The major product formed in dehydrohalogenation reaction of 2-Bromo pentane is Pent-2-ene. This product formation is based on?

- (a) Muckers Rule (b) Saytzeff's Rule
(c) Hund's Rule (d) Hofmann Rule

71. Which one of the following polymers is prepared by addition polymerisation?

- (a) Dacron (b) Teflon
(c) NyIon-66 (d) Novolac

72. The RBC deficiency is deficiency disease of:

- (a) Vitamin B₂ (b) Vitamin B₁₂
(c) Vitamin Be (d) Vitamin B₁

73. The following solutions were prepared by dissolving 10 g of glucose (C₂H₁₂O₆) in 250 ml of water (P₁), 10 g of urea (CH₄N₂O) in 250 ml of water (P₂) and 10 g of sucrose (C₁₂H₂₂O₁₁) in 250 ml of water (P₃). The right option for the decreasing order of osmotic pressure of these solutions is:

- (a) P₃ > P₁ > P₂ (b) P₂ > P₁ > P₃
(c) P₁ > P₂ > P₃ (d) P₂ > P₃ > P₁

74. A particular station of All India Radio, New Delhi, broadcasts on a frequency of 1,368 kHz(kilohertz). The wavelength of the electromagnetic radiation emitted by the transmitter is: [speed of light, c = 3.0 × 10⁸ ms⁻¹]

- (a) 21.92cm (b) 219.3m
(c) 219.2m (d) 2192m

75. Noble gases are named because of their inertness towards reactivity. Identify the incorrect statement about them.

- (a) Noble gases have large positive values of electron gain enthalpy
(b) Noble gases are sparingly soluble in water
(c) Noble gases have very high melting and boiling points
(d) Noble gases have weak dispersion forces

76. Given statements are two statements:

Statement-I Aspirin and Paracetamol belong to the class of narcotic analgesics.

Statement-II Morphine and Heroin are non-narcotic analgesics.

In the light of the above statements, choose the correct answer from the options given below-

- (a) Statement I is incorrect but statement II is true
(b) Both statement I and II are true.
(c) Both statement I and II are false.
(d) Statement I is correct but statement II is false.

77. Which one of the following methods can be used to obtain highly pure metal which is liquid at room temperature?

- (a) Zone refining
(b) Electrolysis
(c) Chromatography
(d) Distillation

78. The correct sequence of bond enthalpy of 'C-X' bond is-

- (a) CH₃-Cl > CH₃-F > CH₃-Br > CH₃-I
(b) CH₃-F < CH₃-Cl < CH₃-Br < CH₃-I
(c) CH₃-F > CH₃-Cl > CH₃-Br > CH₃-I
(d) CH₃-F < CH₃-Cl > CH₃-Br > CH₃-I

79. The compound which shows metamerism is-

- (a) C₄H₁₀O (b) C₅H₁₂
(c) C₃H₈O (d) C₃H₆O

80. Ethylene diamine tetraacetate (EDTA) is-

- (a) Tridentate ligand with three "N" donor atoms
(b) Hexadentate ligand with four "O" and two "N" donor atoms
(c) Unidentate ligand
(d) Bidentate ligand with two "N" donor atoms

81. Zr(Zr=40) and Hf(Z=72) have similar atomic and ionic radii because of.






- (a) having similar chemical properties

- (b) belonging to same group
(c) diagonal relationship
(d) lanthanoid contraction

82. BF_3 is a planar and electron deficient compound. Hybridization and number of electrons around the central atom, respectively are-

- (a) sp^2 and 8
(b) sp^3 and 4
(c) sp^3 and 6
(d) sp^2 and 6

83. The major product of the following chemical reaction is-



84. The incorrect statement among the following is-

- (a) Actinoids are highly reactive metals, especially when finely divided.
(b) Actinoid contraction is greater for element to element than Lanthanoid contraction,
(c) Most of the trivalent lanthanoid ions are colourless
(d) Lanthanoids are good conductors of heat and electricity

85. Among the following alkaline earth metal halides, one which is covalent and soluble in organic solvent is-

- (a) Beryllium chloride
(b) Calcium chloride
(c) Strontium chloride
(d) Magnesium chloride

Section- B

86. The correct option for the value of vapour pressure of a solution at 45°C with benzene to


octane in molar ratio 3:2 is-[At 45°C , vapour pressure of benzene is 280mm Hg and that of octane is 420 mm of Hg. Assume ideal gas]





- (a) 350 mm of Hg (b) 160 mm of Hg
(c) 168 mm of Hg (d) 336 mm of Hg

87. For irreversible expansion of an ideal gas under isothermal condition, the correct option is-

- (a) $\Delta U \neq 0, \Delta S_{\text{total}} = 0$
(b) $\Delta U = 0, \Delta S_{\text{total}} = 0$
(c) $\Delta U \neq 0, \Delta S_{\text{total}} \neq 0$
(d) $\Delta U = 0, \Delta S_{\text{total}} \neq 0$

88. The intermediate compound 'X' in the following chemical reaction is-



- (a) 
- (b) 
- (c) 
- (d) 


89. Choose the correct option for the total pressure (in atm) in a mixture of 4g O₂ and 2g H₂ confined in a total volume of one litre at 0°C is: [Given R = 0.082 L atm mol⁻¹K⁻¹, T = 273K]

- (a) 26.02 (b) 2.518
(c) 2.602 (d) 25.18

90. From the following pairs of ions which one is not an iso - electronic pair ?

- (a) Fe²⁺, Mn²⁺ (b) O²⁻, F⁻
(c) Na⁺, Mg²⁺ (d) Mn²⁺, Fe³⁺

91. Consider the below reaction and identify the missing reagent/chemical:



- (a) DIBAL-H (b) B₂H₆
(c) Red Phosphorus (d) CaO

92. Which of the following molecules is non - polar in nature?

- (a) NO₂ (b) POCl₃
(c) CH₂O (d) SbCl₅

93. The slope of Arrhenius Plot (ln k v/s 1/T) (ln k v/s 1/T) of first order reaction is -5 x 10³ K. The value of E_a of the reaction is. Choose the correct option for your answer. [Given R = 8.314 JK⁻¹ mol⁻¹]

- (a) -83.0 kJ mol⁻¹
(b) 41.5 kJ mol⁻¹
(c) 83.0 kJ mol⁻¹
(d) 166 kJ mol⁻¹

94. Considering Ellingham diagram, which of the following metals can be used to reduce alumina?

	List I		List II
a.	2SO _{2(g)} + O _{2(g)} → 2SO _{3(g)}	i.	Acid rain
b.	HOCl _(g) + hv → •OH + •Cl	ii.	Smog
c.	CaCO ₃ + H ₂ SO ₄ → CaSO ₄ + H ₂ O + CO ₂	iii.	Ozone depletion
d.	NO _{2(g)} + hv → NO _(g) + O _(g)	iv.	Tropospheric pollution

Choose the correct answer from the options given below abed

- (a) iii ii iv i (b) i ii iii iv

(c) ii iii iv i

(d) iv iii i ii

95. Match List -1 with List - II

List-I	List-II
(a)  $\xrightarrow[\text{Anhyd. AlCl}_3/\text{CuCl}]{\text{CO, HCl}}$	(i) Hell – Vollaard Zelinsky reaction
(b) $\text{R}-\overset{\text{O}}{\parallel}{\text{C}}-\text{CH}_3 + \text{NaOX} \longrightarrow$	(ii) Gattermann-Koch reaction
(c) $\text{R}-\text{CH}_2-\text{OH} + \text{R}'\text{COOH} \xrightarrow{\text{H}_2\text{SO}_4}$	(iii) Haloform reaction
(d) $\text{R}-\text{CH}_2\text{COOH} \xrightarrow[\text{(ii) H}_2\text{O}]{\text{(i) X}_2/\text{Red P}}$	(iv) Esterification

Choose the correct answer from the options given below

a b c d

(a) ii iii iv i

(b) iv i ii iii

(c) iii ii i iv

(d) i iv iii ii

96. Match List -1 with List - II

List-I	List - II
(a) $[\text{Fe}(\text{CN})_6]^{3-}$	(i) 5.92 BM
(b) $[\text{Fe}(\text{H}_2\text{O})_6]^{3+}$	(ii) 0 BM
(c) $[\text{Fe}(\text{CN})_6]^{4-}$	(iii) 4.90 BM
(d) $[\text{Fe}(\text{H}_2\text{O})_6]^{2+}$	(iv) 1.73 BM

a b c d




(a) iv i ii iii



(b) iv ii i iii

(c) ii iv iii I

(d) i iii iv ii

97. The product formed in the following chemical reaction is :





98. In which of the following arrangements the given sequence is not strictly according to the properties indicated against it ?


- (a) $\text{CO}_2 < \text{SiO}_2 < \text{SnO}_2 < \text{PbO}_2$: Increasing oxidizing power
 (b) $\text{HF} < \text{HCl} < \text{HBr} < \text{HI}$: Increasing acidic strength
 (c) $\text{H}_2\text{O} < \text{H}_2\text{S} < \text{H}_2\text{Se} < \text{H}_2$: Increasing a pK values
 (d) $\text{NH}_3 < \text{PH}_3 < \text{AsH}_3 < \text{SbH}_3$: Increasing acidic character

99. The molar conductivity of 0.007 M acetic acid is $20 \text{ S cm}^2 \text{ mol}^{-1}$. What is the dissociation constant of acetic acid? Choose the correct option.

$$\left[\begin{array}{l} \Lambda_{\text{H}^+}^\circ = 350 \text{ S cm}^2 \text{ mol}^{-1} \\ \Lambda_{\text{CH}_3\text{COO}^-}^\circ = 50 \text{ S cm}^2 \text{ mol}^{-1} \end{array} \right]$$

- (a) $2.50 \times 10^{-4} \text{ mol L}^{-1}$
 (b) $1.75 \times 10^{-4} \text{ mol L}^{-1}$
 (c) $2.50 \times 10^{-5} \text{ mol L}^{-1}$
 (d) $1.75 \times 10^{-5} \text{ mol L}^{-1}$

100. The reagent 'R' in the given sequence of chemical reaction is :



- (a) CuCN/KCN
 (c) $\text{CH}_3\text{CH}_2\text{OH}$

- (b) H_2O
 (d) HI

BIOLOGY

101. Match List-I with List-II.

	List-I		List-II
(a)	Cells with active cell division	(i)	Vascular tissues capacity
(b)	Tissue having all cells similar	(ii)	Meristematic tissue
(c)	Tissue having different types	(iii)	Scleireids of cells
(d)	Dead cells with highly	(iv)	Simple tissue thickened walls and narrow lumen

Select the correct answer from the options given below.

a b c d

- (a) iii ii iv i
(b) ii iv i iii
(c) iv iii ii i
(d) i ii iii iv

102. Which of the following is an incorrect statement?

- (a) Nuclear pores act as passages for proteins and RNA molecules in both directions between nucleus and cytoplasm.
(b) Mature sieve tube elements possess a conspicuous nucleus and usual cytoplasmic organelles.
(c) Microbodies are present both in plant and animal cells.
(d) The perinuclear space forms a barrier between the materials present inside the nucleus and that of the cytoplasm.

103. When gene targeting involving gene amplification is attempted in an individual's tissue to

treat disease, it is known as:

- (a) Safety testing
(b) Biopiracy
(c) Gene therapy
(d) Molecular diagnosis

104. During the purification process for recombinant DNA technology, addition of chilled ethanol precipitates out:

- (a) Polysaccharides (b) RNA
(c) DNA (d) Histones

105. Match List-I with List-II.

	List-I		List-II
(a)	Protoplast fusion	(i)	Totipotency
(b)	Plant tissue culture	(ii)	Pomato
(c)	Meristem culture	(iii)	Somaclones
(d)	Micropropagation	(iv)	Virus free plants

Choose the correct answer from the options given below.

a b c d

- (a) iv iii ii i
(b) iii iv ii i
(c) ii i iv iii
(d) iii iv i ii

106. When the centromere is situated in the middle of two equal arms of chromosomes, the chromosome is referred as:

- (a) Acrocentric
(b) Metacentric
(c) Telocentric
(d) Sub-metacentric

107. The factor that leads to Founder effect in a population is.

- (a) Genetic drift
(b) Natural selection
(c) Genetic recombination
(d) Mutation

108. Which of the following is a correct sequence of steps in a PCR (Polymerase Chain Reaction)?

- (a) Annealing, Denaturation, Extension
(b) Denaturation, Annealing, Extension
(c) Denaturation, Extension, Annealing
(d) Extension, Denaturation, Annealing

109. In spite of interspecific competition in nature, which mechanism the competing species might have evolved for their survival?

- (a) Predation
(b) Resource partitioning
(c) Competitive release
(d) Mutualism

110. A typical angiosperm embryo sac at maturity is:

- (a) 8-nucleate and 8-celled
(b) 8-nucleate and 7-celled
(c) 7-nucleate and 8-celled
(d) 7-nucleate and 7-celled

111. The site of perception of light in plants during photoperiodism is :

- (a) Leaf (b) Shoot apex
(c) Stem (d) Axillary bud

112. Which of the following plants is monoecious ?

- (a) *Cycas circinalis*
(b) *Carica papaya*
(c) *Chara*
(d) *Marchantia polymorpha*

113. Match List-I with List-II.

	List-I		List-II
(a)	Cristae	(i)	Primary constriction in chromosome
(b)	Thylakoids	(ii)	Disc-shaped sacs in Golgi apparatus
(c)	Centromere	(iii)	Infoldings in mitochondria
(d)	Cisternae	(iv)	Flattened membranous sacs in stroma of plastids

Choose the correct answer from the options given below

a b c d

- (a) ii iii iv i
(b) iv iii ii i
(c) i iv iii ii
(d) iii iv i ii

114. Match List-I with List-II.

	List-I		List-II
a.	Cohesion	i.	More attraction in liquid phase
b.	Adhesion	ii.	Mutual attraction among water molecules
c.	Surface tension	iii.	Water loss in liquid phase
d.	Guttation	iv.	Attraction towards polar surfaces

Choose the correct answer from the options given below.

a b c d

- (a) ii i iv iii
(b) ii iv i iii
(c) iv iii ii i
(d) iii i iv ii

115. Match List-I with List-II.

	List-I		List-II
(a)	Lenticels	(i)	Phellogen
(b)	Cork cambium	(ii)	Suberin deposition
(c)	Secondary cortex	(iii)	Exchange of gases

(d)	Cork	(iv)	Phelloderm
-----	------	------	------------

a b c d

- (a) iv ii i iii
(b) iv i iii ii
(c) iii i iv ii
(d) ii iii iv i

116. The term used for transfer of pollen grains from anthers of one plant to stigma of a different plant which, during pollination, brings genetically different types of pollen grains to stigma, is:

- (a) Cleistogamy
(b) Xenogamy
(c) Geitonogamy
(d) Chasmogamy

117. Which of the following is not an application of PCR (Polymerase Chain Reaction)?

- (a) Detection of gene mutation
(b) Molecular diagnosis
(c) Gene amplification
(d) Purification of isolated protein

118. The production of gametes by the parents, formation of zygotes, the F_1 and F_2 plants, can

be understood from a diagram called :

- (a) Net square
(b) Bullet square
(c) Punch square
(d) Punnett square

119. Which of the following algae produce Carrageen?

- (a) Blue-green algae
(b) Green algae
(c) Brown algae
(d) Red algae

120. Amensalism can be represented as :

- (a) Species A (+); Species B (0)
(b) Species A (-); Species B (0)
(c) Species A (+) ; Species B (+)
(d) Species A (+) ; Species B (+)

121. Which of the following stages of meiosis involves division of centromere?

- (a) Telophase II (b) Metaphase I
(c) Metaphase II (d) Anaphase II

122. Complete the flow chart on central dogma,

(a) $\text{DNA} \xrightarrow{(b)} \text{mRNA} \xrightarrow{(c)} (d)$

- (a) (a)-Transduction; (b)-Translation; (c)-Replication; (d)-protein
(b) (a)-Replication; (b)-Transcription; (c)-Transduction; (d)-protein
(c) (a)-Translation; (b)-Replication; (c)-Transcription; (d)-Transduction
(d) (a)-Replication; (b)-Transcription; (c)-Translation; (d)-protein

123. Mutations in plant cells can be induced by :

- (a) Zeatin
(b) Kinetin
(c) Infrared rays
(d) Gamma rays

124. In the equation $GPP-R=NPP$, R represents :

- (a) Respiration losses
(b) Radiant energy
(c) Retardation factor
(d) Environment factor

125. Plants follow different pathways in response to environment or phases of life to form different kinds of structures. This ability is called :

- (a) Maturity (b) Elasticity
(c) Flexibility (d) Plasticity

126. The plant hormone used to destroy weeds in a field is:

- (a) IBA (b) IAA
(c) NAA (d) 2,4-D

127. Which of the following statements is not correct?

- (a) Pyramid of numbers in a grassland ecosystem is upright.
(b) Pyramid of biomass in sea is generally inverted.
(c) Pyramid of biomass in sea is generally upright.
(d) Pyramid of energy is always upright.

128. Gemmae are present in :

- (a) Some Liverworts
(b) Mosses
(c) Pteridophytes
(d) Some Gymnosperms

129. The first stable product of CO₂ fixation in sorghum is :

- (a) Phosphoglyceric acid
(b) Pyruvic acid
(c) Oxaloacetic acid
(d) Succinic acid

130. Which of the following algae contains mannitol as reserve food material?

- (a) Ulothrix (b) Ectocarpus
(c) Gracilaria (d) Volvox

131. DNA strands on a gel stained with ethidium bromide when viewed under UV radiation, appear as :

- (a) Bright blue bands
(b) Yellow bands
(c) Bright orange bands
(d) Dark red bands

132. Diadelphous stamens are found in :

- (a) China rose and citrus
(b) China rose
(c) Citrus
(d) Pea

133. Which of the following are not secondary metabolites in plants ?

- (a) Rubber, gums
(b) Morphine, codeine
(c) Amino acids, glucose
(d) Vinblastin, curcumin

134. The amount of nutrients, such as carbon, nitrogen, phosphorus and calcium present in the soil at any given time, is referred as :

- (a) Standing crop (b) Climax
(c) Climax community (d) Standing state

135. Genera like Selaginella and Salvinia produce two kinds of spores. Such plants are known

as:

- (a) Heterosporous
(b) Homosorus
(c) Heterosorus
(d) Homosporous

136. Plasmid pBR322 has PstI restriction enzyme site within gene amp^R that confers ampicillin resistance. If this enzyme is used for inserting a gene for β -galactoside production and the recombinant plasmid is inserted in an E.coli strain.

- (a) it will be able to produce a novel protein with dual ability.
(b) it will not be able to confer ampicillin resistance to the host cell.
(c) the transformed cells will have the ability to resist ampicillin as well as produce β -galactoside.

(d) it will lead to lysis of host cell.

137. In some member of which of the following pairs of families, pollen grains retain their viability for months after release ?

- (a) Rosaceae; Leguminosae
- (b) Poaceae; Rosaceae
- (c) Poaceae; Leguminosae
- (d) Poaceae; Solanaceae

138. Identify the correct statement,

- (a) Split gene arrangement is characteristic of prokaryotes.
- (b) In capping, methyl guanosine triphosphate is added to the 3' end of hnRNA.
- (c) RNA polymerase binds with Rho factor to terminate the process of transcription in bacteria.
- (d) The coding strand in a transcription unit is copied to an mRNA.

139. Which of the following statements is correct ?

- (a) Some of the organisms can fix atmospheric nitrogen in specialized cells called sheath cells.
- (b) Fusion of two cells is called Karyogamy.
- (c) Fusion of protoplasts between two motile or non-motile gametes is called plasmogamy.
- (d) Organisms that depend on living plants are called saprophytes.

140. DNA fingerprinting involves identifying differences in some specific regions in DNA sequence, called as :

- (a) Polymorphic DNA
- (b) Satellite DNA
- (c) Repetitive DNA
- (d) Single nucleotides

141. Select the correct pair.

- (a) Loose parenchyma cells rupturing the epidermis and forming a lens-shaped opening in bark - Spongy parenchyma
- (b) Large colorless empty cell in the epidermis of grass leaves - Subsidiary cells
- (c) In dicot leaves, vascular bundles are surrounded by large thick-walled cells - Conjunctive tissue
- (d) Cells of medullary rays that form part of cambial ring - Interfascicular cambium

142. Which of the following statements is incorrect ?

- (a) Oxidation-reduction reactions produce proton gradient in respiration.
- (b) During aerobic respiration, role of oxygen is limited to the terminal stage.
- (c) In ETC (Electron Transport Chain), one molecule of $\text{NADH} + \text{H}^+$ gives rise to 2ATP molecules, and one FADH_2 gives rise to 3ATP molecules
- (d) ATP is synthesized through complex V.

143. Which of the following statements is incorrect?

- (a) Cyclic photophosphorylation involves both PS I and PS II.
- (b) Both ATP and $\text{NADPH} + \text{H}^+$ are synthesized during non-cyclic photophosphorylation,
- (c) Stroma lamellae have PS I only and lack NADP reductase,
- (d) Grana lamellae have both PS I and PS II.

144. Match Column-I with Column-II.

	Column-I		Column-II
(a)	Nitrococcits	(i)	Denitrification
(b)	Rhizobium	(ii)	Conversion of ammonia to nitrite
(c)	Thiobacillus	(iii)	Conversion of nitrite to nitrate
(d)	Nitrobacter	(iv)	Conversion of atmospheric nitrogen to ammonia

a b c d

- (a) iv iii ii i
- (b) ii iv i iii
- (c) i ii iii iv
- (d) iii i iv ii

145. What is the role of RNA polymerase III in the process of transcription in eukaryotes?

- (a) Transcribes only snRNAs
(b) Transcribes rRNAs (28S, 18S and 5.8S)
(c) Transcribes tRNA, 5s rRNA and snRNA
(d) Transcribes precursor of mRNA

146. In the exponential growth equation

$N_t = N_0 e^{rt}$, e represents:

- (a) The base of geometric logarithms
(b) The base of number logarithms
(c) The base of exponential logarithms
(d) The base of natural logarithms

147. Now a days it is possible to detect the mutated gene causing cancer by allowing radioactive

probe to hybridise its complimentary DNA in a clone of cells, followed by its detection using autoradiography because:

- (a) mutated gene does not appear on photographic film as the probe has complementarity with it.
(b) mutated gene partially appears on a photographic film
(c) mutated gene completely and clearly appears on a photographic film.
(d) mutated gene does not appear on a photographic film as the probe has no complementarity with it.

148. Match List-I with List-II.

	List-I		List-II
(a)	Protein	(i)	C = C double bonds
(b)	Unsaturated fatty	(ii)	Phosphodiester bonds acid
(c)	Nucleic acid	(iii)	Glycosidic bonds
(d)	Polysaccharide	(iv)	Peptide bonds

Choose the correct answer from the options given below.

a b c d

- (a) iv iii i ii
(b) iv i ii iii
(c) i iv iii ii
(d) ii i iv iii

149. Match List-I with List-II.

	List-I		List-II
(a)	S phase	(i)	Proteins are synthesized
(b)	G ₂ phase	(ii)	Inactive phase
(c)	Quiescent stage	(iii)	Interval between mitosis and initiation of DNA replication
(d)	G ₁ phase	(iv)	DNA replication




Choose the correct answer from the options given below.

a b c d

- (a) ii iv iii i
(b) iii ii i iv
(c) iv ii iii i
(d) iv i ii iii

150. Match Column -I with Column - II.

	Column-I		Column-II
(a)	$\% \frac{K}{K_{(5)}} C_{1+2+(2)} A_{(9)+1} G_1$	(i)	Brassicaceae

(b)		(ii)	Liliaceae
(c)		(iii)	Fabaceae
(d)		(iv)	Solanaceae

Select the correct answer from the options given below.

a b c d

- (a) iv ii i iii
(b) iii iv ii i
(c) i ii iii iv
(d) ii iii iv i

ZOOLOGY

SECTION - A

151. Receptors for sperm binding in mammals are present on :

- (a) Zona pellucida
(b) Corona radiata
(c) Vitelline membrane
(d) Perivitelline space

152. Which stage of meiotic prophase shows terminalisation of chiasmata as its distinctive feature ?

- (a) Pachytene (b) Leptotene
(c) Zygotene (d) Diakinesis

153. The organelles that are included in the endomembrane system are :

- (a) Golgi complex, Endoplasmic reticulum, Mitochondria and Lysosomes
(b) Endoplasmic reticulum, Mitochondria, Ribosomes and Lysosomes
(c) Endoplasmic reticulum, Golgi complex, Lysosomes and Vacuoles
(d) Golgi complex, Mitochondria, Ribosomes and Lysosomes

154. A specific recognition sequence identified by endonucleases to make cuts at specific positions

within the DNA is :

- (a) Poly(A) tail sequences
(b) Degenerate primer sequence
(c) Okazaki sequences
(d) Palindromic Nucleotide sequences

155. Select the favourable conditions required for the formation of oxyhaemoglobin at the alveoli.

- (a) Low pO_2 , low pCO_2 , more H^+ , higher temperature
(b) High pO_2 , low pCO_2 , Less H^+ , lower temperature
(c) Low pO_2 , high pCO_2 , more H^+ , higher temperature
(d) High pO_2 , high pCO_2 , Less H^+ , lower temperature

156. Match the following :

	List-I		List-II
(a)	Physalia	(i)	Pearl oyster
(b)	Limulus	(ii)	Portuguese Man of war
(c)	Ancylostoma	(iii)	Living fossil
(d)	Pinctada	(iv)	Hookworm

Choose the correct answer from the options given below.

a b c d

- (a) i iv iii ii

- (b) ii iii i iv
(c) iv i iii ii
(d) ii iii iv i

157. Dobson units are used to measure thickness of:

- (a) Troposphere
(b) CFCs
(c) Stratosphere
(d) Ozone

158. Which one of the following belongs to the family Muscidae ?

- (a) Housefly (b) Fire fly
(c) Grasshopper (d) Cockroach

159. Venereal diseases can spread through:

- (a) Using sterile needles
(b) Transfusion of blood from infected person
(c) Infected mother to foetus
(d) Kissing
(e) Inheritance

Choose the correct answer from the options given below.

- (a) (a) and (c) only
(b) (a), (b) and (c) only
(c) (b), (c) and (d) only
(d) (b) and (c) only

160. Which is the "Only enzyme" that has "Capability to catalyse Initiation, Elongation and Termination in the process of transcription in prokaryotes?"

- (a) DNase
(b) DNA dependent DNA polymerase
(c) DNA dependent RNA polymerase
(d) DNA Ligase

161. Match List-I with List-II.

	List-I		List-II
(a)	Vaults	(i)	Entry of sperm through cervix is blocked
(b)	IUDs	(ii)	Removal of vas deferens
(c)	Vasectomy	(iii)	Phagocytosis of sperms within the uterus
(d)	Tubectomy	(iv)	Removal of fallopian tube

Choose the correct answer from the options given below.

a b c d

- (a) iii i iv ii
(b) iv ii i iii
(c) i iii ii iv
(d) ii iv iii i

162. Match List-I with List-II.

	List-I		List-II
(a)	Aspergillus niger	(i)	Acetic Acid
(b)	Acetobacter aceti	(ii)	Lactic Acid
(c)	Clostridium butylicum	(iii)	Citric Acid
(d)	Lactobacillus	(iv)	Butyric Acid

Choose the correct answer from the options given below.

a b c d

- (a) iv ii i iii
- (b) iii i iv ii
- (c) i ii iii iv
- (d) ii iii i iv

163. Identify the incorrect pair.

- (a) Drugs - Ricin
- (b) Alkaloids - Codeine
- (c) Toxin – Abrin
- (d) Lectins - Concanavalin A

164. The partial pressures (in mm Hg) of oxygen (O₂) and carbon dioxide (CO₂) at alveoli (the

site of diffusion) are:

- (a) pO₂ = 159 and pCO₂ = 0.3
- (b) pO₂ = 104 and pCO₂ = 40
- (c) pO₂ = 40 and pCO₂ = 45
- (d) pO₂ = 95 and pCO₂ = 40

165. Sphincter of Oddi is present at:

- (a) Junction of jejunum and duodenum
- (b) Ileo-caecal junction
- (c) Junction of hepato-pancreatic duct and duodenum
- (d) Gastro-oesophageal junction

166. Which of the following RNAs is not required for the synthesis of protein?

- (a) siRNA
- (b) mRNA
- (c) tRNA
- (d) rRNA

167. Succus entericus is referred to as :

- (a) Chyme
- (b) Pancreatic juice
- (c) Intestinal juice
- (d) Gastric juice

168. Persons with 'AB' blood group are called as "Universal recipients", This is due to :

- (a) Absence of antibodies, anti-A and anti-B, in plasma.
- (b) Absence of antigens A and B on the surface of RBCs.
- (c) Absence of antigens A and B in plasma.
- (d) Presence of antibodies, anti-A and anti-B, on RBCs.

169. Which of the following characteristics is incorrect with respect to cockroach?

- (a) 10th abdominal segment in both sexes, bears a pair of anal cerci.
- (b) A ring of gastric caeca is present at the junction of midgut and hind gut.
- (c) Hypopharynx lies within the cavity enclosed by the mouth parts.
- (d) In females, 7th-9th sterna together form a genital pouch.

170. Which of the following statements wrongly represents the nature of smooth muscle?

- (a) These muscles are present in the wall of blood vessels
- (b) These muscle have no striations
- (c) They are involuntary muscles
- (d) Communication among the cells is performed by intercalated discs

171. Which of the following organisms bears hollow and pneumatic long bones?

- (a) Ornithorhynchus
- (b) Neophron
- (c) Hemidactylus
- (d) Macropus

172. If Adenine makes 30% of the DNA molecule, what will be the percentage of Thymine, Guanine and Cytosine in it?

- (a) T:20; G: 25 ; C : 25
- (b) T:20;G:30;C:20
- (c) T:20; G: 20 ; C : 30
- (d) T: 30; G: 20 ; C : 20

173. Which enzyme is responsible for the conversion of inactive fibrinogens to fibrins ?

- (a) Thrombokinasase
- (b) Thrombin
- (c) Renin
- (d) Epinephrine

174. In a cross between a male and female, both heterozygous for sickle cell anaemia gene, what percentage of the progeny will be diseased?

- (a) 100%
- (b) 50%
- (c) 75%
- (d) 25%

175. Which one of the following is an example of Hormone releasing IUD ?

- (a) Multiload 375
- (b) CuT
- (c) LNG 20
- (d) Cu 7

176. The centriole undergoes duplication during.

- (a) G2 phase
- (b) S-phase
- (c) Prophase
- (d) Metaphase

177. Chronic autoimmune disorder affecting neuro muscular junction leading to fatigue, weakening and paralysis of skeletal muscle is called as

- (a) Gout
- (b) Arthritis
- (c) Muscular dystrophy
- (d) Myasthenia gravis

178. For effective treatment of the disease, early diagnosis and understanding its pathophysiology is very important. Which of the following molecular diagnostic techniques is very useful for early detection ?

- (a) Hybridization Technique
- (b) Western Blotting Technique
- (c) Southern Blotting Technique
- (d) ELISA Technique

179. Read the following statements.

- (a) Metagenesis is observed in Helminths.
- (b) Echinoderms are triploblastic and coelomate animals.
- (c) Round worms have organ-system level of body organization.
- (d) Comb plates present in ctenophores help in digestion.
- (e) Water vascular system is characteristic of Echinoderms. Choose the correct answer from the options given below.
- (a) (b), (c) and (e) are correct
- (b) (c), (d) and (e) are correct
- (c) (a), (b) and (c) are correct
- (d) (a), (d) and (e) are correct

180. Erythropoietin hormone which stimulates R.B.C. formation is produced by:

- (a) Juxtaglomerular cells of the kidney
- (b) Alpha cells of pancreas
- (c) The cells of rostral adenohypophysis
- (d) The cells of bone marrow

181. With regard to insulin choose correct options.

- (a) C-peptide is not present in mature insulin.
- (b) The insulin produced by rDNA technology has C peptide.
- (c) The pro-insulin has C-peptide.
- (d) A-peptide and B-peptide of insulin are interconnected by disulphide bridges.

Choose the correct answer from the options given below.

- (a) (a) and (d) only
- (b) (b) and (d) only
- (c) (b) and (c) only
- (d) (a), (c) and (d) only

182. Match List-I with List-II.

List-I

- (a) Metamerism
- (b) Canal system
- (c) Comb plates
- (d) Cnidoblasts

List-II

- (i) Coelenterata
- (ii) Ctenophora
- (iii) Annelida
- (iv) Porifera

Choose the correct answer from the options given below.

a b c d

- (a) iv i ii iii
- (b) iv iii i ii
- (c) iii iv i ii
- (d) iii iv ii i

183. Which of the following is not an objective of Biofortification in crops?

- (a) Improve micronutrient and mineral content.
- (b) Improve protein content.
- (c) Improve resistance to diseases.
- (d) Improve vitamin content

184. During the process of gene amplification using PCR, if very high temperature is not maintained in the beginning, then which of the following steps of PCR will be affected first?

- (a) Ligation
- (b) Annealing
- (c) Extension
- (d) Denaturation

185. The fruit fly has 8 chromosomes (2n) in each cell. During interphase of Mitosis if the number of chromosomes at G1 phase is 8, what would be the number of chromosomes after S phase ?

- (a) 32
- (b) 8
- (c) 16
- (d) 4

ZOOLOGY
SECTION - B

186. Assertion-(A): A person goes to high altitude and experiences 'altitude sickness' with symptoms like breathing difficulty and heart palpitations.

Reason-(R): Due to low atmospheric pressure at high altitude, the body does not get sufficient oxygen.

In the light of the above statements, choose the correct answer from the options given below.

- (a) (A) is false but (R) is true
- (b) Both (A) and (R) are true and (R) is the correct explanation of (A)
- (c) Both (A) and (R) are true and (R) is not the correct explanation of (A)
- (d) (A) is true but (R) is false

187. Statement-I: The codon 'AUG' codes for methionine and phenylalanine.

Statement-II: 'AAA' and 'AAG' both codons code for the amino acid lysine.

In the light of the above statements, choose the correct answer from the options given below.

- (a) Statement-I is incorrect but Statement-II is true
- (b) Both Statement-I and Statement-II are true
- (c) Both Statement-I and Statement-II are false
- (d) Statement-I is correct but Statement-II is false

188. Following are the statements about prostomium of earthworm.

- (a) It serves as a covering for mouth.
- (b) It helps to open cracks in the soil into which it can crawl.
- (c) It is one of the sensory structures.
- (d) It is the first body segment.

Choose the correct answer from the options given below.

- (a) (b) and (c) are correct
- (b) (a) and (c) are correct
- (c) (a), (b) and (d) are correct
- (d) (a), (b), (c) and (d) are correct

189. Which of the following is not a step in Multiple Ovulation Embryo Transfer Technology

(MOET)?

- (a) Fertilized eggs are transferred to surrogate mothers at 8-32 cell stage
- (b) Cow is administered hormone having LH like activity for super ovulation
- (c) Cow yields about 6-8 eggs at a time
- (d) Cow is fertilized by artificial insemination

190. Identify the types of cell junctions that help to stop the leakage of the substances across a tissue and facilitation of communication with neighboring cells via rapid transfer of ions and molecules,

- (a) Adhering junctions and Gap junctions, respectively
- (b) Gap junctions and Adhering junctions, respectively
- (c) Tight junctions and Gap junctions, respectively
- (d) Adhering junctions and Tight junctions, respectively

191. Which of the following secretes the hormone, relaxing, during the later phase of pregnancy?

- (a) Uterus
- (b) Graafian follicle
- (c) Corpus luteum
- (d) Foetus

192. During muscular contraction which of the following events occur?

- (a) 'FT zone disappears
- (b) 'A' band widens
- (c) 'T' band reduces in width
- (d) Myosin hydrolyzes ATP, releasing the AaDP and Pi
- (e) Z-lines attached to actins are pulled inwards

Choose the correct answer from the options given below.

- (a) (b), (d), (e), (a) only
- (b) (a), [c], (d], (e) only
- (c) (a), (b), (c), (d) only
- (d) (b), (c), (d), (e) only

193. The Adenosine deaminase deficiency results into:

- (a) Addison's disease
- (b) Dysfunction of Immune system
- (c) Parkinson's disease
- (d) Digestive disorder

194. Match List -I with List - II

	List -I		List - II
(a)	Adaptive radiation	(i)	Selection of resistant varieties due to excessive use of herbicides and pesticides
(b)	Convergent evolution	(ii)	Bones of forelimbs in Man and Whale
(c)	Divergent evolution	(iii)	Wings of Butterfly and Bird action
(d)	Evolution by anthropogenic	(iv)	Darwin Finches

Choose the correct answer from the options given below.

a b c d

- (a) (i) (iv) (iii) (ii)
- (b) (iv) (iii) (ii) (i)
- (c) (iii) (ii) (i) (iv)
- (d) (ii) (i) (iv) (iii)

195. Which of these is not an important component of initiation of parturition in humans?

- (a) Release of Prolactin
- (b) Increase in estrogen and progesterone ratio

- (c) Synthesis of prostaglandins
(d) Release of Oxytocin

196. Following are the statements with reference to 'lipids'.

- (a) Lipids having only single bonds are called unsaturated fatty acids.
(b) Lecithin is a phospholipid.
(c) Trihydroxy propane is glycerol.
(d) Palmitic acid has 20 carbon atoms including carboxyl carbon.
(e) Arachidonic acid has 16 carbon atoms.

Choose the correct answer from the options given below.

- (a) (b) and (e) only
(b) (a) and (b) only
(c) (c) and (d) only
(d) (b) and (c) only

197. Match List I With List II

	List - I		List - II
(a)	Allen's Rule	(i)	Kangaroo rat
(b)	Physiological adaptation	(ii)	Desert Lizard
(c)	Behavioural adaptation	(iii)	Marine Fish at depth
(d)	Biochemical adaptation	(iv)	Polar seal

Choose the correct answer from the options given below.

a b c d

- (a) (iv) (iii) (ii) (i)
(b) (iv) (ii) (iii) (i)
(c) (iv) (i) (iii) (ii)
(d) (iv) (i) (ii) (iii)

198. Match List I with List II

	List - I		List - II
(a)	Filariasis	(i)	Hemophilus influenzae
(b)	Amoebiasis	(ii)	Trichophyton
(c)	Pneumonia	(iii)	Washeteria bancroftian
(d)	Ringworm	(iv)	Entamoeba histolytic

Choose the correct answer from the options given below.

a b c d

- (a) (ii) (iii) (i) (iv)
(b) (iv) (i) (iii) (ii)
(c) (iii) (iv) (i) (ii)
(d) (i) (ii) (iv) (iii)

199. Which one of the following statements about Histones is wrong?

- (a) Histones carry positive charge in the side chain,
(b) Histones are organized to form a unit of 8 molecules,
(c) The pH of histones is slightly acidic.
(d) Histones are rich in amino acids- Lysine and Arginine.

200. Match List I with List II

	List - I		List - II
(a)	Scapula	(i)	Cartilaginous joints
(b)	Cranium	(ii)	Flat bone
(c)	Sternum	(iii)	Fibrous joints

(d)	Vertebral Column	(iv)	Triangular flat bone
-----	------------------	------	----------------------

Choose the correct answer from the options given below,

a b c d

- (a) (iv) (iii) (ii) (i)
- (b) (i) (iii) (ii) (iv)
- (c) (ii) (iii) (iv) (i)
- (d) (iv) (ii) (iii) (i)

